

Reference Specification

Type KJ
Safety Standard Certified Lead Type Disc Ceramic Capacitors for Automotive


Product specifications in this catalog are as of Jun. 2019, and are subject to change or obsolescence without notice.

Please consult the approval sheet before ordering. Please read rating and Cautions first.

⚠ CAUTION

1. OPERATING VOLTAGE

When DC-rated capacitors are to be used in AC or ripple current circuits, be sure to maintain the Vp-p value of the applied voltage or the Vo-p which contains DC bias within the rated voltage range. When the voltage is started to apply to the circuit or it is stopped applying, the irregular voltage may be generated for a transit period because of resonance or switching. Be sure to use a capacitor within rated voltage containing these irregular voltage.



2. OPERATING TEMPERATURE AND SELF-GENERATED HEAT

Keep the surface temperature of a capacitor below the upper limit of its rated operating temperature range. Be sure to take into account the heat generated by the capacitor itself.

When the capacitor is used in a high-frequency current, pulse current or the like, it may have the self-generated heat due to dielectric-loss. Applied voltage should be the load such as self-generated heat is within 20 °C on the condition of atmosphere temperature 25 °C. When measuring, use a thermocouple of small thermal capacity-K of ϕ 0.1mm and be in the condition where capacitor is not affected by radiant heat of other components and wind of surroundings. Excessive heat may lead to deterioration of the capacitor's characteristics and reliability.(Never attempt to perform measurement with the cooling fan running. Otherwise, accurate measurement cannot be ensured.)

3. TEST CONDITION FOR WITHSTANDING VOLTAGE

(1) TEST EQUIPMENT

Test equipment for AC withstanding voltage should be used with the performance of the wave similar to 50/60 Hz sine wave.

If the distorted sine wave or over load exceeding the specified voltage value is applied, the defective may be caused.


(2) VOLTAGE APPLIED METHOD

When the withstanding voltage is applied, capacitor's lead or terminal should be firmly connected to the out-put of the withstanding voltage test equipment, and then the voltage should be raised from near zero to the test voltage.

If the test voltage without the raise from near zero voltage would be applied directly to capacitor, test voltage should be applied with the *zero cross. At the end of the test time, the test voltage should be reduced to near zero, and then capacitor's lead or terminal should be taken off the out-put of the withstanding voltage test equipment.

If the test voltage without the raise from near zero voltage would be applied directly to capacitor, the surge voltage may arise, and therefore, the defective may be caused.

*ZERO CROSS is the point where voltage sine wave pass 0V. - See the right figure -



4. FAIL-SAFE

When capacitor would be broken, failure may result in a short circuit. Be sure to provide an appropriate fail-safe function like a fuse on your product if failure would follow an electric shock, fire or fume.

5. VIBRATION AND IMPACT

Do not expose a capacitor or its leads to excessive shock or vibration during use. Excessive shock or vibration may cause to fatigue destruction of lead wires mounted on the circuit board. Please take measures to hold a capacitor on the circuit boards by adhesive, molding resin or coating and other. Please confirm there is no influence of holding measures on the product with a intended equipment.

6. SOLDERING

When soldering this product to a PCB/PWB, do not exceed the solder heat resistance specification of the capacitor. Subjecting this product to excessive heating could melt the internal junction solder and may result in thermal shocks that can crack the ceramic element.

When soldering capacitor with a soldering iron, it should be performed in following conditions.

Temperature of iron-tip: 400 °C max. Soldering iron wattage: 50W max. Soldering time: 3.5s max.

7. BONDING, RESIN MOLDING AND COATING

In case of bonding, molding or coating this product, verify that these processes do not affect the quality of capacitor by testing the performance of the bonded, molded or coated product in the intended equipment.

In case of the amount of applications, dryness / hardening conditions of adhesives and molding resins containing organic solvents (ethyl acetate, methyl ethyl ketone, toluene, etc.) are unsuitable, the outer coating resin of a capacitor is damaged by the organic solvents and it may result, worst case, in a short circuit.

The variation in thickness of adhesive, molding resin or coating may cause a outer coating resin cracking and/or ceramic element cracking of a capacitor in a temperature cycling.

8. TREATMENT AFTER BONDING, RESIN MOLDING AND COATING

When the outer coating is hot (over 100 °C) after soldering, it becomes soft and fragile. So please be careful not to give it mechanical stress.

Failure to follow the above cautions may result, worst case, in a short circuit and cause fuming or partial dispersion when the product is used.

9. OPERATING AND STORAGE ENVIRONMENT

The insulating coating of capacitors does not form a perfect seal; therefore, do not use or store capacitors in a corrosive atmosphere, especially where chloride gas, sulfide gas, acid, alkali, salt or the like are present. And avoid exposure to moisture. Before cleaning, bonding, or molding this product, verify that these processes do not affect product quality by testing the performance of a cleaned, bonded or molded product in the intended equipment. Store the capacitors where the temperature and relative humidity do not exceed -10 to 40 °C and 15 to 85%.

Use capacitors within 6 months after delivered. Check the solderability after 6 months or more.

10. LIMITATION OF APPLICATIONS

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects which might directly cause damage to the third party's life, body or property.

- 1. Aircraft equipment
- 2. Aerospace equipment
- 3. Undersea equipment
- 4. Power plant control equipment
- 5. Medical equipment
- 6. Transportation equipment (vehicles, trains, ships, etc.)
- 7. Traffic signal equipment
- 8. Disaster prevention / crime prevention equipment
- 9. Data-processing equipment exerting influence on public
- 10. Application of similar complexity and/or reliability requirements to the applications listed in the above.

NOTICE

1. CLEANING (ULTRASONIC CLEANING)

To perform ultrasonic cleaning, observe the following conditions.

Rinse bath capacity: Output of 20 watts per liter or less.

Rinsing time: 5 min maximum.

Do not vibrate the PCB/PWB directly.

Excessive ultrasonic cleaning may lead to fatigue destruction of the lead wires.

2. CAPACITANCE CHANGE OF CAPACITORS

· Class 1 capacitors

Capacitance might change a little depending on a surrounding temperature or an applied voltage. Please contact us if you use for the strict time constant circuit.

· Class 2 and 3 capacitors

Class 2 and 3 capacitors like temperature characteristic B, E and F have an aging characteristic, whereby the capacitor continually decreases its capacitance slightly if the capacitor leaves for a long time. Moreover, capacitance might change greatly depending on a surrounding temperature or an applied voltage. So, it is not likely to be able to use for the time constant circuit.

Please contact us if you need a detail information.

3. PERFORMANCE CHECK BY EQUIPMENT

Before using a capacitor, check that there is no problem in the equipment's performance and the specifications.

Generally speaking, CLASS 2 ceramic capacitors have voltage dependence characteristics and temperature dependence characteristics in capacitance. So, the capacitance value may change depending on the operating condition in a equipment. Therefore, be sure to confirm the apparatus performance of receiving influence in a capacitance value change of a capacitor, such as leakage current and noise suppression characteristic.

Moreover, check the surge-proof ability of a capacitor in the equipment, if needed, because the surge voltage may exceed specific value by the inductance of the circuit.

$oldsymbol{\Lambda}$ note

- 1.Please make sure that your product has been evaluated in view of your specifications with our product being mounted to your product.
- 2. You are requested not to use our product deviating from this specification.

1. Application

This specification is applied to Safety Standard Certified Lead Type Disc Ceramic Capacitors Type KJ which can be used for the battery charger for Electric Vehicles and Plug-in Hybrid.

Type KJ is Safety Standard Certified capacitors of Class X1,Y2, and in accordance with AEC-Q200 requirements.

Approval standard and certified number

	Standard number	*Certified number	AC Rated voltage V(r.m.s.)
UL/cUL	UL60384-14	E37921	300
ENEC (VDE)	EN60384-14 IEC60384-14	40031217	300

^{*}Above Certified number may be changed on account of the revision of standards and the renewal of certification.

2. Rating

2-1. Operating temperature range

-40 ~ +125°C

2-2. Part number configuration

Product code

DE6 denotes class X1,Y2.

•Temperature characteristic

Code	Temperature characteristic
B3	В

Please confirm detailed specification on [Specification and test methods].

• Type name

This denotes safety certified type name Type KJ.

Rated voltage: AC300V(r.m.s.)

• Capacitance

The first two digits denote significant figures; the last digit denotes the multiplier of 10 in pF. ex.) In case of 681.

$$68 \times 10^1 = 680 pF$$

• Capacitance tolerance

Please refer to [Part number list].

• Lead code

Code	Lead style			
A*	Vertical crimp long type			
B*	Vertical crimp short type			
N*	Vertical crimp taping type			

^{*} Please refer to [Part number list].

Solder coated copper wire is applied for termination.

· Packing style code

Code	Packing type
В	Bulk type
A	Ammo pack taping type

• Individual specification

In case part number cannot be identified without 'individual specification', it is added at the end of part number.

Note) Murata part numbers might be changed depending on lead code or any other changes. Therefore, please specify only the type name(KJ) and capacitance of products in the parts list when it is required for applying safety standard of electric equipment.

3. Marking

Nominal capacitance : 3 digit system

Capacitance tolerance : Code
Type name : KJ
Rated voltage mark : 300~
Class code : X1Y2

Manufacturing year : Letter code(The last digit of A.D. year.)

Manufacturing month : Code

ex.) YEAR MONTH
2015 12(December)
5D*

* From January to September: "1" to "9",

October: "O", November: "N", December: "D"


Company name code : (Made in Thailand)

(Example)

681K KJ 300~ X1Y2 5D (M15

4. Part number list


·Vertical crimp long type (Lead code:A*)



Note) The mark '*' of lead code differ from lead spacing(F) and lead diameter(d).
Please see the following list about details.

									Offic.	111111
T.C.	Cap. Cap. Customer Part Number		Murata Part Number		nensi	Lead	Pack			
1.0.	(pF)	tol.	Gustomer Fart Number	Wurata Fait Number	D	Т	F	d	code	qty. (pcs)
В	100	$\pm 10\%$		DE6B3KJ101KA3B	8.0	7.0	7.5	0.6	А3	250
В	150	±10%		DE6B3KJ151KA3B	8.0	7.0	7.5	0.6	А3	250
В	220	$\pm 10\%$		DE6B3KJ221KA3B	8.0	7.0	7.5	0.6	А3	250
В	330	$\pm 10\%$		DE6B3KJ331KA3B	8.0	7.0	7.5	0.6	А3	250
В	470	$\pm 10\%$		DE6B3KJ471KA3B	8.0	7.0	7.5	0.6	А3	250
В	680	±10%		DE6B3KJ681KA3B	9.0	7.0	7.5	0.6	А3	250


Vertical crimp short type (Lead code:B*)



Note) The mark '*' of lead code differ from lead spacing(F) and lead diameter(d).
Please see the following list about details.

									Offic.	111111
T.C.	Cap. Cap. Customer Part Number		Murata Part Number	Din	nensi	Lead	Pack			
1.0.	(pF)	tol.	Gustomer Fart Number	Wurata Fait Number	D	Т	F	d	code	qty. (pcs)
В	100	$\pm 10\%$		DE6B3KJ101KB3B	8.0	7.0	7.5	0.6	В3	500
В	150	±10%		DE6B3KJ151KB3B	8.0	7.0	7.5	0.6	В3	500
В	220	$\pm 10\%$		DE6B3KJ221KB3B	8.0	7.0	7.5	0.6	В3	500
В	330	$\pm 10\%$		DE6B3KJ331KB3B	8.0	7.0	7.5	0.6	В3	500
В	470	$\pm 10\%$		DE6B3KJ471KB3B	8.0	7.0	7.5	0.6	В3	500
В	680	±10%		DE6B3KJ681KB3B	9.0	7.0	7.5	0.6	В3	500

·Vartical crimp taping type (Lead code:N*)



Note) The mark '*' of lead code differ from lead spacing(F), lead diameter(d) and pitch of component(P). Please see the following list or taping specification about details.

										O1111C .	
T.C.	Cap.	Cap.	Customer Part Number	Murata Part Number -		imer	Lead	Pack			
1.0.	(pF)	tol.	Customer Fait Number	Murata Fait Number	D	Т	F	d	Р	code	qty. (pcs)
В	100	±10%		DE6B3KJ101KN3A	8.0	7.0	7.5	0.6	15.0	N3	700
В	150	±10%		DE6B3KJ151KN3A	8.0	7.0	7.5	0.6	15.0	N3	700
В	220	$\pm 10\%$		DE6B3KJ221KN3A	8.0	7.0	7.5	0.6	15.0	N3	700
В	330	$\pm 10\%$		DE6B3KJ331KN3A	8.0	7.0	7.5	0.6	15.0	N3	700
В	470	$\pm 10\%$		DE6B3KJ471KN3A	8.0	7.0	7.5	0.6	15.0	N3	700
В	680	±10%		DE6B3KJ681KN3A	9.0	7.0	7.5	0.6	15.0	N3	700

5. Spe	cification and test n	nethods								
No.	lte	em		ecification				est method		
1	Appearance and dimensions		No marked defe Please refer to dimensions.	No marked defect on appearance form. Please refer to [Part number list] on dimensions.		for visible evidence of defect. Dimensions should be measured with slide				
						calipers.				
2	Marking		To be easily leg			The capacit				
3	Capacitance		Within specifie	ed tolerance.		The capacit 1±0.1kHz a				0°C with
4	Dissipation Factor	r (D.F.)	2.5% max.			The dissipa with 1±0.1k	tion factor	should be	measured	l at 20°C
5	Insulation Resistance (I.R.)		10000MΩ min.			The insulati with DC500 The voltage through a re	on resistar ±50V with should be	nce should in 60±5 s o applied to	be measu of charging	j .
6	Dielectric strength	Between lead wires	No failure.			The capacit AC2600V(r. the lead wire	m.s.)<50/6 es for 60 s	60Hz> is a	pplied bet	ween
	Body insulation		No failure.		First, the terminals of the capacitor should be connected together. Then, a metal foil should be closely wrapped around the body of the capacitor to the distance of about 3 to 4mm from each terminal. Then, the capacitor should be most of about 1mm diameter. Finally, AC2600V (r.m.s.)<50/60Hz> is applied for 60 s between the capacitor lead wires and metal balls.					
7	Temperature char	acteristic	Within ±10 % (+85°C)	(Temp. range : -2	5 to	The capacit each step s			should be	made at
				Step	1	2	3	4	5	1
				Temp.(°C)	20±2		20±2	85±2	20±2	
			•Pre-treatment Capacitor shou before initial me	ıld be stored at 1			placed at	*room con	dition for 2	24±2 h
8	Solderability		Lead wire shou with uniform co direction over 3 circumferential	pating on the axia 8/4 of the	I		eam aging ipped into so molten soft immersion of lead water to the soft immersion of lead water to fead water to feat water to f	g, the lead a ethanol solder for 5 on is up to vires.	I wire of a solution of +0/-0.5 se about 1.5	a capacitor 25% rosin ec. 5 to 2.0mm

^{* &}quot;room condition" Temperature: 15 to 35°C, Relative humidity: 45 to 75%, Atmospheric pressure: 86 to 106kPa

			Reference only	
No.	Item		Specification No. marked defeat	Test method
9	Resistance to Soldering Heat	Appearance Capacitance	No marked defect. Within ± 10%	As shown in figure, the lead wires should be immersed in solder of 260±5°C up to 1.5 to 2.0mm
	(Non-preheat)	change	Within ± 10%	from the root of terminal for 10±1 s.
	(* 1511 p. 1511 511	I.R.	1000M Ω min.	
				Thermal Capacitor
		Dielectric	Per Item 6	1.5
		Strength		10 2.0mm
				34443
				Pre-treatment
				Capacitor should be stored at 125±3°C for 1 h,
				then placed at *room condition for 24±2 h before
				initial measurements.
				Post-treatment Capacitor should be stored for 1 to 2 h at *room
				condition.
10	Resistance to	Appearance	No marked defect.	First the capacitor should be stored at 120+0/-5°C
	Soldering Heat	Capacitance	Within ±10%	for 60+0/-5 s.
	(On-preheat)	change		Then, as in figure, the lead wires should be
		I.R.	1000MΩ min.	immersed solder of 260+0/-5°C up to 1.5 to 2.0mm
		Dielectric	Per item 6	from the root of terminal for 7.5+0/-1 s.
		strength		Thermal
				insulating
				1.5 1.5 to 2.0mm
				-
				solder
				Pre-treatment : Capacitor should be stored at
				Pre-treatment: Capacitor should be stored at 125±3°C for 1 h, then placed at
				*1room condition for 24±2 h
				before initial measurements.
				Post-treatment: Capacitor should be stored for 1 to
4.4	\" ('		N. I. I. I. C.	2 h at *1room condition.
11	Vibration	Appearance	No marked defect.	Solder the capacitor and gum up the body to the
		Capacitance D.F.	Within the specified tolerance. 2.5% max.	test jig (glass epoxy board) by resin(adhesive).
		D.1.	2.576 IIIax.	resin(adhesive)
				155(04555)
				The capacitor should be firmly soldered to the
				supporting lead wire, 1.5mm in total amplitude, with
				about 20 minutes rate of vibration change from 10Hz
				to 2000Hz and back to 10Hz.
				This motion should be applied for 12 times in each 3
				mutually perpendicular directions (total of 36 times).
12	Mechanical	Appearance	No marked defect.	The acceleration is 5g max Solder the capacitor and gum up the body to the
	Shock	Capacitance	Within the specified tolerance.	test jig (glass epoxy board) by resin(adhesive).
	(Compliant with	D.F.	5.0% max.	
	AEC-Q200)	D.F.	J.U /0 IIIax.	() resin(adhesive)
		I.R.	10000M $Ω$ min.	
				Three shocks in each direction should be applied
				along 3 mutually perpendicular axes to and from of
				the test specimen (18 shocks).
				The specified test pulse should be Half-sine and
				should have a duration :0.5ms, peak value:100g
		Appearance	No marked defect.	and velocity change: 4.7m/s. Set the capacitor for 1000±12 h at 85±3°C in 80 to
13	Humidity		Within ±10%	85% relative humidity.
13	Humidity (Under steady	Capacitance	=	
13	Humidity (Under steady state)	Capacitance change		
13	(Under steady		5.0% max.	•Pre-treatment
13	(Under steady	change D.F.		Capacitor should be stored at 125±3°C for 1 h,
13	(Under steady	change D.F.	3000MΩ min.	Capacitor should be stored at 125±3°C for 1 h, then placed at *room condition for 24±2 h before
13	(Under steady	change D.F. I.R. Dielectric		Capacitor should be stored at 125±3°C for 1 h, then placed at *room condition for 24±2 h before initial measurements.
13	(Under steady	change D.F.	3000MΩ min.	Capacitor should be stored at 125±3°C for 1 h, then placed at *room condition for 24±2 h before initial measurements. •Post-treatment
13	(Under steady	change D.F. I.R. Dielectric	3000MΩ min.	Capacitor should be stored at 125±3°C for 1 h, then placed at *room condition for 24±2 h before initial measurements.

ESKJ02A

			Reference only	
No.	Item		Specification	Test method
14	Humidity loading	Appearance Capacitance	No marked defect. Within ±10%	Apply the rated voltage for 1000±12 h at 85±3°C in 80 to 85% relative humidity.
		change	5.00/	- Dree transfer and
		D.F.	5.0% max.	 Pre-treatment Capacitor should be stored at 125±3°C for 1 h, then placed at *room condition for 24±2 h before
		I.R.	3000MΩ min.	initial measurements.
				Post-treatment Capacitor should be stored for 1 to 2 h at *room
				condition.
15	Life	Dielectric strength	No marked defect.	Impulse voltage Each individual capacitor should be subjected to
		Capacitance change	Within ± 20%	a 5kV impulses for three times. Then the capacitors are applied to life test.
		I.R.	3000MΩ min.	100 (%) Front time (T1) = 1.7 μ s=1.67T 90 Time to half-value (T2) = 50 μ s
		Dielectric	Per item 6	90 Time to half-value (T2) = 50 μ s
		strength		30
				The capacitors are placed in a circulating air oven
				for a period of 1000 h.
				The air in the oven is maintained at a temperature
				of 125+2/-0°C, and relative humidity of 50% max
				Throughout the test, the capacitors are subjected to a AC510V(r.m.s.)<50/60Hz> alternating voltage
				of mains frequency, except that once each hour
				the voltage is increased to AC1000V(r.m.s.) for
				0.1 s.
				Pre-treatment
				Capacitor should be stored at 125±3°C for 1 h,
				then placed at *room condition for 24±2 h before
				initial measurements. •Post-treatment
				Capacitor should be stored for 1 to 2 h at *room
	<u> </u>			condition.
16	Flame test		The capacitor flame discontinue as follows.	The capacitor should be subjected to applied flame for 15 s. and then removed for 15 s until 5
			Out Time	cycles are completed.
			Cycle Time	Capacitor
			1 to 4 30 s max.	Flame
			5 60 s max.	<i> </i>
				Gas Burner
				(in mm)
17	Robustness of	Tensile	Lead wire should not cut off.	As shown in the figure at right, fix
	terminations		Capacitor should not be broken.	the body of the capacitor and apply a tensile weight gradually to each
				lead wire in the radial direction of the
				capacitor up to 10N, and keep it
		Don-line	4	for 10±1 s.
		Bending		Each lead wire should be subjected to 5N of weight
				and bent 90° at the point of egress, in one direction, then returned to its original position, and bent 90° in
				the opposite direction at the rate of one bend in 2 to 3
* "roc	m condition" Towns	Uro: 15 to 2500	Polotivo humidita: 45 to 75% Atmost be	S.
roor	n condition remperati	ure: 15 to 35°C,	Relative humidity: 45 to 75%, Atmosphe	end pressure, od to TOOKMA
				,
				,

			Reference only	
No.	Item)	Specification	Test method
		-		
18	Active flammability		The cheese-cloth should not be on	The capacitors should be individually wrapped in
			fire.	at least one, but not more than two, complete layers
				cheese-cloth. The capacitor should be subjected to
				20 discharges. The interval between successive
				discharges should be 5 s. The UAC should be
				maintained for 2min after the last discharge.
				F L1 12 R
				Tr \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
				4
				Osciloscope
				C4.0 .4 F1400/ C0 . 0 000 F150/ 401//
				C1,2 : 1μF±10%, C3 : 0.033μF±5% 10kV
				L1 to L4: 1.5mH±20% 16A Rod core choke
				UAC : UR ±5% UR : Rated working voltage
				Cx : Capacitor under test
				F : Fuse, Rated 10A
				Ut : Voltage applied to Ct
				Ux
				
				5kV
				h *h
				' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
				Africa
				time
19	Doggi va flammahilit		The huming time should not be	The conscitor under toot about does held in the flower
19	Passive flammability	/	The burning time should not be	The capacitor under test should be held in the flame
			exceeded the time 30 s.	the position which best promotes burning.
			The tissue paper should not	Time of exposure to flame is for 30 s.
				Time of exposure to harne is for 50 s.
			ignite.	Length of flame: 12±1mm
				Cookurner - Longth 25mm min
				Gas burner : Length 35mm min.
				Inside Dia. 0.5±0.1mm
				Outside Dia. 0.9mm max.
				Gas: Butane gas Purity 95% min.
				Gas . Butane gas Funty 95 /6 min.
				√ Capacitor
				About 8mm
				About diffill
				Gas burner → // Flame
				45° 200±5mm
				<u> </u>
				————— ✓ Tissue
				About 10mm thick board
20	T	A	No montreal defeat	The connector obsorted by a delicated to
20	Temperature	Appearance	No marked defect.	The capacitor should be subjected to
	Cycle	Capacitance	Within ±10%	1000 temperature cycles.
	(Compliant with			
		change	1	Step Temperature(°C) Time(min.)
	AEC-Q200)	D.F.	5.0% max.	1 -55+0/-3 30
		I.R.	3000MΩ min.	
				2 Room temp. 3
		Dielectric	Per Item 6.	3 +125+3/-0 30
		strength		4 Room temp. 3
				Pre-treatment
				Capacitor should be stored at 125±3°C for 1 h, ther
				placed at *room condition for 24±2 h.
				•Post-treatment
	İ			Capacitor should be stored for 24±2 h at *room
		1		condition.
			†	Sit the capacitor for 1,000±12 h at 150±3°C.
21	High Tomporeture	Capacitanas	$1 \text{ M/ithin} \pm 200/$	Sit the capacitor for 1,000±1∠ f1 at 150±3. €.
21	High Temperature	Capacitance	Within ± 20%	
21	High Temperature Exposure	Capacitance change	Within ± 20%	
21	Exposure	change		Pre-treatment
21	Exposure (Storage)	change D.F.	5.0% max.	Pre-treatment
21	Exposure	change		Pre-treatment Capacitor should be stored at 125±3°C for 1 h, there
21	Exposure (Storage) (Compliant with	change D.F.	5.0% max.	Capacitor should be stored at 125±3°C for 1 h, ther
21	Exposure (Storage)	change D.F.	5.0% max.	Capacitor should be stored at 125±3°C for 1 h, their placed at *room condition for 24±2 h.
21	Exposure (Storage) (Compliant with	change D.F.	5.0% max.	Capacitor should be stored at 125±3°C for 1 h, ther placed at *room condition for 24±2 h. •Post-treatment
21	Exposure (Storage) (Compliant with	change D.F.	5.0% max.	Capacitor should be stored at 125±3°C for 1 h, ther placed at *room condition for 24±2 h. •Post-treatment
21	Exposure (Storage) (Compliant with	change D.F.	5.0% max.	Capacitor should be stored at 125±3°C for 1 h, their placed at *room condition for 24±2 h. •Post-treatment Capacitor should be stored for 24±2 h at *room
	Exposure (Storage) (Compliant with AEC-Q200)	change D.F. I.R.	5.0% max. 1000MΩ min.	Capacitor should be stored at 125±3°C for 1 h, their placed at *room condition for 24±2 h. •Post-treatment Capacitor should be stored for 24±2 h at *room condition.
	Exposure (Storage) (Compliant with AEC-Q200)	change D.F. I.R.	5.0% max. 1000MΩ min.	Capacitor should be stored at 125±3°C for 1 h, the placed at *room condition for 24±2 h. •Post-treatment Capacitor should be stored for 24±2 h at *room condition.
	Exposure (Storage) (Compliant with AEC-Q200)	change D.F. I.R.	5.0% max.	Capacitor should be stored at 125±3°C for 1 h, the placed at *room condition for 24±2 h. •Post-treatment Capacitor should be stored for 24±2 h at *room condition.
	Exposure (Storage) (Compliant with AEC-Q200)	change D.F. I.R.	5.0% max. 1000MΩ min.	Capacitor should be stored at 125±3°C for 1 h, the placed at *room condition for 24±2 h. •Post-treatment Capacitor should be stored for 24±2 h at *room condition.
	Exposure (Storage) (Compliant with AEC-Q200)	change D.F. I.R.	5.0% max. 1000MΩ min.	Capacitor should be stored at 125±3°C for 1 h, the placed at *room condition for 24±2 h. •Post-treatment Capacitor should be stored for 24±2 h at *room condition.
	Exposure (Storage) (Compliant with AEC-Q200)	change D.F. I.R.	5.0% max. 1000MΩ min.	Capacitor should be stored at 125±3°C for 1 h, the placed at *room condition for 24±2 h. •Post-treatment Capacitor should be stored for 24±2 h at *room condition.
	Exposure (Storage) (Compliant with AEC-Q200)	change D.F. I.R.	5.0% max. 1000MΩ min.	Capacitor should be stored at 125±3°C for 1 h, the placed at *room condition for 24±2 h. •Post-treatment Capacitor should be stored for 24±2 h at *room condition.
	Exposure (Storage) (Compliant with AEC-Q200)	change D.F. I.R.	5.0% max. 1000MΩ min.	Capacitor should be stored at 125±3°C for 1 h, the placed at *room condition for 24±2 h. •Post-treatment Capacitor should be stored for 24±2 h at *room condition.
	Exposure (Storage) (Compliant with AEC-Q200)	change D.F. I.R.	5.0% max. 1000MΩ min.	Capacitor should be stored at 125±3°C for 1 h, the placed at *room condition for 24±2 h. •Post-treatment Capacitor should be stored for 24±2 h at *room condition.

No.	Iten	n	Reference of Specification	Test method
22	Thermal Shock	Appearance	No marked defect except color	The capacitor should be subjected to 300 cycles.
	(Compliant with AEC-Q200)	Capacitance	change of outer coating. Within ±10%	Step Temperature(°C) Time(min.)
		change D.F.	5.0% max.	1 -55+0/-3 30
		I.R.	3000M Ω min.	2 125+3/0 30
23	Resistance to	Appearance	No marked defect.	Pre-treatment Capacitor should be stored at 125±3°C for 1 h, then placed *room condition for 24±2 h. Post-treatment Capacitor should be stored for 24±2 h at *room condition. Per MIL-STD-202 Method 215
20	Solvents (Compliant with	Capacitance change	Within ±10%	Solvent 1 : 1 part (by volume) of isopropyl alcohol 3 parts (by volume) of mineral spirits
	AEC-Q200)	D.F.	5.0% max.	Solvent 2 : Terpene defluxer
		I.R.	3000 Μ Ω min.	Solvent 3 : 42 parts (by volume) of water 1 part (by volume) of propylene glycol monomethyl ether 1 part (by volume) of monoethanolomine
	Biased Humidity	Appearance	No marked defect.	Apply DC1.3+0.2/-0 V (add 100kΩ resistor) at 85±3°C and
	(Compliant with AEC-Q200)	Capacitance change	Within ±10%	80 to 85% humidity for 1,000±12 h. The charge/discharge current is less than 50mA
		D.F.	5.0% max. 3000MΩ min.	Pre-treatment
				Capacitor should be stored at 125±3°C for 1 h, then placed *room condition for 24±2 h. •Post-treatment Capacitor should be stored for 24±2 h at *room condition.
25	Moisture	Appearance	No marked defect.	Apply the 24 h heat(25 to 65°C) and humidity(80 to
	Resistance (Compliant with	Capacitance change	Within ±10%	98%) treatment shown below, 10 consecutive times.
	AEC-Q200)	D.F.	5.0% max. 3000MΩ min.	Temperature
				65 60 55 850 840 840 840 840 840 840 840 840 840 84
"roor	l m condition" Temper	L cature: 15 to 35°C	I C, Relative humidity: 45 to 75%, At	Capacitor should be stored for 24±2 h at *room condition. mospheric pressure: 86 to 106kPa

ESKJ02A

6. Packing specification


•Bulk type (Packing style code : B)

The size of packing case and packing way

 $\begin{array}{c} *1 \\ \text{The number of packing = } \ \text{Packing quantity} \times \ n \end{array}$

*1 : Please refer to [Part number list].

*2 : Standard n = 20 (bag)




Note)

The outer package and the number of outer packing be changed by the order getting amount.

•Ammo pack taping type (Packing style code : A)


- · The tape with capacitors is packed zigzag into a case.
- \cdot When body of the capacitor is piled on other body under it.



7. Taping specification

7-1. Dimension of capacitors on tape


Vertical crimp taping type < Lead code : N3 > Pitch of component 15.0mm / Lead spacing 7.5mm




Item	Code	Dimensions	Remarks
Pitch of component	Р	15.0±2.0	
Pitch of sprocket hole	P0	15.0±0.3	
Lead spacing	F	7.5±1.0	
Length from hole center to component center	P2	7.5±1.5	Deviation of progress direction
Length from hole center to lead	P1	3.75±1.0	
Body diameter	D	Please refer to [Part number list].	
Deviation along tape, left or right	ΔS	0±2.0	They include deviation by lead bend .
Carrier tape width	W	18.0±0.5	
Position of sprocket hole	W1	9.0±0.5	Deviation of tape width direction
Lead distance between reference and bottom planes	НО	18.0± ^{2.0}	
Protrusion length	Q	+0.5~-1.0	
Diameter of sprocket hole	φ D 0	4.0±0.1	
Lead diameter	φd	0.60±0.05	
Total tape thickness	t1	0.6±0.3	They include hold down tape thickness.
Total thickness, tape and lead wire	t2	1.5 max.	
Deviation across tape, front	∆h1	2.0 max.	
Deviation across tape, rear	∆h2		
Portion to cut in case of defect	L	11.0± _{1.0}	
Hold down tape width	W0	11.5 min.	
Hold down tape position	W2	1.5±1.5	
Coating extension on lead	е	Up to the end of crimp	
Body thickness	Т	Please refer to [Part number list].	

7-2. Splicing way of tape

1) Adhesive force of tape is over 3N at test condition as below.




- 2) Splicing of tape
 - a) When base tape is spliced
 - •Base tape should be spliced by cellophane tape. (Total tape thickness should be less than 1.05mm.)



No lifting for the direction of progressing

Unit: mm

- b) When hold down tape is spliced
 - •Hold down tape should be spliced with overlapping. (Total tape thickness should be less than 1.05mm.)



- c) When both tape are spliced
 - •Base tape and hold down tape should be spliced with splicing tape.
- 3) Missing components
 - •There should be no consecutive missing of more than three components.
 - •The number of missing components should be not more than 0.5% of total components that should be present in a Ammo pack.

EU RoHS and Halogen Free

This products of the following crresponds to EU RoHS and Halogen Free

(1) RoHS

EU RoHs 2011/65/EC compliance

maximum concentration values tolerated by weight in homogeneous materials

- •1000 ppm maximum Lead
- •1000 ppm maximum Mercury
- •100 ppm maximum Cadmium
- •1000 ppm maximum Hexavalent chromium
- •1000 ppm maximum Polybrominated biphenyls (PBB)
- •1000 ppm maximum Polybrominated diphenyl ethers (PBDE)

(2) Halogen-Free

The International Electrochemical Commission's (IEC) Definition of Halogen-Free (IEC 61249-2-21) compliance

- •900 ppm maximum chlorine
- •900 ppm maximum bromine
- •1500 ppm maximum total chlorine and bromine