PD-95816E

**IRHNJ67130** 

**JANSR2N7587U3** 

100V, N-CHANNEL

R TECHNOLOGY

REF: MIL-PRF-19500/746



# **RADIATION HARDENED POWER MOSFET** SURFACE MOUNT (SMD-0.5)

# **Product Summary**

Part Number	Radiation Level	RDS(on)	ID	QPL Part Number
IRHNJ67130	100 kRads(Si)	0.042Ω	22A*	JANSR2N7587U3
IRHNJ63130	300 kRads(Si)	0.042Ω	22A*	JANSF2N7587U3

## Features

- Low R<sub>DS(on)</sub> •
- Fast Switching
- Single Event Effect (SEE) Hardened
- Low Total Gate Charge •
- Simple Drive Requirements •
- Hermetically Sealed •
- Ceramic Package •
- Surface Mount •
- ESD Rating: Class 1C per MIL-STD-750, • Method 1020

# SMD-0.5

# Description

IR HiRel R6 technology provides high performance power MOSFETs for space applications. These devices have improved immunity to Single Event Effect (SEE) and have been characterized for useful performance with Linear Energy Transfer (LET) up to 90MeV/(mg/cm<sup>2</sup>). Their combination of very low RDS(on) and faster switching times reduces power loss and increases power density in today's high speed switching applications such as DC-DC converters and motor controllers. These devices retain all of the well established advantages of MOSFETs such as voltage control, ease of paralleling and temperature stability of electrical parameters.

# Absoluto Maximum Patings

Absolute Maximum Rat	ings	Pre	-Irradiation
Symbol	Parameter	Value	Units
I <sub>D1</sub> @ V <sub>GS</sub> = 12V, T <sub>C</sub> = 25°C	Continuous Drain Current	22*	
I <sub>D2</sub> @ V <sub>GS</sub> = 12V, T <sub>C</sub> = 100°C	Continuous Drain Current	19	А
I <sub>DM</sub> @ T <sub>C</sub> = 25°C	Pulsed Drain Current ①	88	
P <sub>D</sub> @T <sub>C</sub> = 25°C	Maximum Power Dissipation	75	W
	Linear Derating Factor	0.6	W/°C
V <sub>GS</sub>	Gate-to-Source Voltage	±20	V
E <sub>AS</sub>	Single Pulse Avalanche Energy ②	73	mJ
I <sub>AR</sub>	Avalanche Current ①	22	A
E <sub>AR</sub>	Repetitive Avalanche Energy ①	7.5	mJ
dv/dt	Peak Diode Recovery dv/dt ③	3.8	V/ns
TJ	Operating Junction and	55 to 1 150	
T <sub>STG</sub>	Storage Temperature Range	-55 to + 150	°C
	Lead Temperature	300 (for 5s)	
	Weight	1.0 (Typical)	g

\* Current is limited by package For Footnotes, refer to the page 2.

International Rectifier HiRel Products. Inc.



#### **Pre-Irradiation**

<b>Electrical Characteristics</b>	@ Tj =	25°C (Unless	<b>Otherwise Specified)</b>
-----------------------------------	--------	--------------	-----------------------------

Symbol	Parameter	Min.	Тур.	Max.	Units	Test Conditions
BV <sub>DSS</sub>	Drain-to-Source Breakdown Voltage	100			V	$V_{GS} = 0V, I_{D} = 1.0mA$
$\Delta BV_{DSS}/\Delta T_{J}$	Breakdown Voltage Temp. Coefficient		0.11		V/°C	Reference to $25^{\circ}$ C, $I_{D} = 1.0$ mA
R <sub>DS(on)</sub>	Static Drain-to-Source On- Resistance			0.042	Ω	V <sub>GS</sub> = 12V, I <sub>D2</sub> = 19A ④
V <sub>GS(th)</sub>	Gate Threshold Voltage	2.0		4.0	V	V <sub>DS</sub> = V <sub>GS</sub> , I <sub>D</sub> = 1.0mA
$\Delta V_{GS(th)} / \Delta T_J$	Gate Threshold Voltage Coefficient		-8.83		mV/°C	$v_{DS} - v_{GS}$ , $i_D - 1.011A$
gfs	Forward Transconductance	14			S	V <sub>DS</sub> = 15V, I <sub>D2</sub> = 19A ④
I <sub>DSS</sub>	Zara Cata Valtaga Drain Current			10		$V_{DS} = 80V, V_{GS} = 0V$
	Zero Gate Voltage Drain Current			25	μA	V <sub>DS</sub> = 80V,V <sub>GS</sub> = 0V,T <sub>J</sub> =125°C
I <sub>GSS</sub>	Gate-to-Source Leakage Forward			100	nA	V <sub>GS</sub> = 20V
	Gate-to-Source Leakage Reverse			-100	ΠA	V <sub>GS</sub> = -20V
$Q_{G}$	Total Gate Charge			50		I <sub>D1</sub> = 22A
Q <sub>GS</sub>	Gate-to-Source Charge		_	15	nC	V <sub>DS</sub> = 50V
Q <sub>GD</sub>	Gate-to-Drain ('Miller') Charge			20		V <sub>GS</sub> = 12V
t <sub>d(on)</sub>	Turn-On Delay Time			25		V <sub>DD</sub> = 50V
t <sub>r</sub>	Rise Time			30		I <sub>D1</sub> = 22A
t <sub>d(off)</sub>	Turn-Off Delay Time			60	ns	R <sub>G</sub> = 7.5Ω
t <sub>f</sub>	Fall Time			30		V <sub>GS</sub> = 12V
Ls +L <sub>D</sub>	Total Inductance		4.0		nH	Measured from center of Drain pad to center of Source pad
C <sub>iss</sub>	Input Capacitance		1730			V <sub>GS</sub> = 0V
C <sub>oss</sub>	Output Capacitance		340		pF	V <sub>DS</sub> = 25V
C <sub>rss</sub>	Reverse Transfer Capacitance		6.0			<i>f</i> = 1.0MHz
R <sub>G</sub>	Gate Resistance		1.03		Ω	f = 1.0MHz, open drain

#### **Source-Drain Diode Ratings and Characteristics**

Symbol	Parameter	Min.	Тур.	Max.	Units	Test Conditions
Is	Continuous Source Current (Body Diode)			22*	^	
I <sub>SM</sub>	Pulsed Source Current (Body Diode) ①			88	A	
V <sub>SD</sub>	Diode Forward Voltage			1.2	V	$T_J=25^{\circ}C$ , $I_S=22A$ , $V_{GS}=0V$
t <sub>rr</sub>	Reverse Recovery Time			350	ns	$T_J=25^{\circ}C, I_F=22A, V_{DD} \le 25V$
Q <sub>rr</sub>	Reverse Recovery Charge			3.0	μC	di/dt = 100A/µs ④
t <sub>on</sub>	Forward Turn-On Time	Intrinsic turn-on time is negligible (turn-on is dominated by $L_{\rm S}\text{+}L_{\rm D})$				

\* Current is limited by package

#### **Thermal Resistance**

Symbol	Parameter	Min.	Тур.	Max.	Units
$R_{\theta JC}$	Junction-to-Case			1.67	°C/W

#### Footnotes:

- ① Repetitive Rating; Pulse width limited by maximum junction temperature.
- $@~V_{\text{DD}}$  = 25V, starting  $T_{\text{J}}$  = 25°C, L = 0.3mH, Peak I\_L = 22A,  $V_{\text{GS}}$  = 12V
- 3  $I_{SD} \leq \ 22A, \ di/dt \ \leq 420A/\mu s, \ V_{DD} \ \leq 100V, \ T_J \leq 150^\circ C$
- $\begin{tabular}{ll} @ & Pulse width \leq 300 \ \mu s; \ Duty \ Cycle \leq 2\% \end{tabular} \end{tabular}$
- $\bigcirc$  Total Dose Irradiation with V<sub>GS</sub> Bias. 12 volt V<sub>GS</sub> applied and V<sub>DS</sub> = 0 during irradiation per MIL-STD-750, Method 1019, condition A.
- $\odot$  Total Dose Irradiation with V<sub>DS</sub> Bias. 80 volt V<sub>DS</sub> applied and V<sub>GS</sub> = 0 during irradiation per MIL-STD-750, Method 1019, condition A.



## **Radiation Characteristics**

IR HiRel radiation hardened MOSFETs are tested to verify their radiation hardness capability. The hardness assurance program at IR Hirel is comprised of two radiation environments. Every manufacturing lot is tested for total ionizing dose (per notes 5 and 6) using the TO-3 package. Both pre- and post-irradiation performance are tested and specified using the same drive circuitry and test conditions in order to provide a direct comparison.

## Table1. Electrical Characteristics @ Tj = 25°C, Post Total Dose Irradiation © ©

Symbol	Parameter	Up to 300	kRads (Si) <sup>1</sup>	Units	Test Conditions	
	i arameter	Min.	Max.			
BV <sub>DSS</sub>	Drain-to-Source Breakdown Voltage	100		V	$V_{GS} = 0V, I_D = 1.0mA$	
V <sub>GS(th)</sub>	Gate Threshold Voltage	2.0	4.0	V	$V_{DS}$ = $V_{GS}$ , $I_D$ = 1.0mA	
I <sub>GSS</sub>	Gate-to-Source Leakage Forward		100	nA	V <sub>GS</sub> = 20V	
I <sub>GSS</sub>	Gate-to-Source Leakage Reverse		-100	nA	V <sub>GS</sub> = -20V	
I <sub>DSS</sub>	Zero Gate Voltage Drain Current		10	μA	$V_{DS}$ = 80V, $V_{GS}$ = 0V	
R <sub>DS(on)</sub>	Static Drain-to-Source ④ On-State Resistance (TO-3)		0.045	Ω	V <sub>GS</sub> = 12V, I <sub>D2</sub> = 19A	
R <sub>DS(on)</sub>	Static Drain-to-Source ④ On-State Resistance (SMD-0.5)		0.042	Ω	V <sub>GS</sub> = 12V, I <sub>D2</sub> = 19A	
V <sub>SD</sub>	Diode Forward Voltage ④		1.2	V	V <sub>GS</sub> = 0V, I <sub>S</sub> = 22A	

1. Part numbers IRHNJ67130 (JANSR2N7587U3) and IRHNJ63130 (JANSF2N7587U3)

IR HiRel radiation hardened MOSFETs have been characterized in heavy ion environment for Single Event Effects (SEE). Single Event Effects characterization is illustrated in Fig. a and Table 2.

### Table 2. Typical Single Event Effect Safe Operating Area

	<b>F</b>	<b>D</b>						
LET (MeV/(mg/cm²))	Energy (MeV)	Range (µm)	@ VGS = 0V	@ VGS = -5V	@ VGS = -10V	@ VGS = -15V	@ VGS = -19V	@ VGS = -20V
39 ± 5%	315 ± 5%	40 ± 5%	100	100	100	100	100	40
61 ± 5%	345 ± 5%	32 ± 7.5%	100	100	100	30		
90 ± 5%	375 ± 7.5%	29 ± 7.5%	100	100				




Fig a. Typical Single Event Effect, Safe Operating Area

For Footnotes, refer to the page 2.



### **Pre-Irradiation**




Fig 1. Typical Output Characteristics




Fig 3. Typical Transfer Characteristics




Fig 5. Typical On-Resistance Vs Gate Voltage





Fig 2. Typical Output Characteristics













#### **Pre-Irradiation**



**Fig 7.** Typical Drain-to-Source Breakdown Voltage Vs Temperature







**Fig 11.** Typical Source-Drain Diode Forward Voltage




Fig 8. Typical Threshold Voltage Vs Temperature






Fig 10. Typical Gate Charge Vs. Gate-to-Source Voltage





5

International Rectifier HiRel Products, Inc.



### **Pre-Irradiation**




Fig 13. Maximum Safe Operating Area

Fig 14. Maximum Avalanche Energy Vs. Drain Current




Fig 15. Maximum Effective Transient Thermal Impedance, Junction-to-Case



#### **Pre-Irradiation**




Fig 16a. Unclamped Inductive Test Circuit







Fig 17a. Gate Charge Waveform














Fig 17b. Gate Charge Test Circuit








**Pre-Irradiation** 

## Case Outline and Dimensions — SMD-0.5



#### NOTES:

- 1. DIMENSIONING & TOLERANCING PER ASME Y14.5M-1994.
- CONTROLLING DIMENSION: INCH. 2.
- 3. DIMENSIONS ARE SHOWN IN MILLIMETERS [INCHES].
- 4 DIMENSION INCLUDES METALLIZATION FLASH.
- DIMENSION DOES NOT INCLUDE METALLIZATION FLASH.





www.infineon.com/irhirel

Infineon Technologies Service Center: USA Tel: +1 (866) 951-9519 and International Tel: +49 89 234 65555 Leominster, Massachusetts 01453, USA Tel: +1 (978) 534-5776 San Jose, California 95134, USA Tel: +1 (408) 434-5000 Data and specifications subject to change without notice.



#### **IMPORTANT NOTICE**

The information given in this document shall be in no event regarded as guarantee of conditions or characteristic. The data contained herein is a characterization of the component based on internal standards and is intended to demonstrate and provide guidance for typical part performance. It will require further evaluation, qualification and analysis to determine suitability in the application environment to confirm compliance to your system requirements.

With respect to any example hints or any typical values stated herein and/or any information regarding the application of the product, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind including without limitation warranties on non- infringement of intellectual property rights and any third party.

In addition, any information given in this document is subject to customer's compliance with its obligations stated in this document and any applicable legal requirements, norms and standards concerning customer's product and any use of the product of Infineon Technologies in customer's applications.

The data contained in this document is exclusively intended for technically trained staff. It is the responsibility of any customer's technical departments to evaluate the suitability of the product for the intended applications and the completeness of the product information given in this document with respect to applications.

For further information on the product, technology, delivery terms and conditions and prices, please contact your local sales representative or go to (<u>www.infineon.com/hirel)</u>.

#### WARNING

Due to technical requirements products may contain dangerous substances. For information on the types in question, please contact your nearest Infineon Technologies office.