

RADIATION HARDENED POWER MOSFET THRU-HOLE (Low-Ohmic TO-257AA)

Product Summary

Part Number	Radiation Level	RDS(on)	I _D	QPL Part Number
IRHYS67130CM	100 kRads(Si)	0.042Ω	20A*	JANSR2N7588T3
IRHYS63130CM	300 kRads(Si)	0.042Ω	20A*	JANSF2N7588T3

100V, N-CHANNEL REF: MIL-PRF-19500/755

IRHYS67130CM

JANSR2N7588T3





Pre-Irradiation

Description

IR HiRel R6 technology provides high performance power MOSFETs for space applications. These devices have been characterized for both Total Dose and Single Event Effect (SEE) with useful performance up to LET of 90 (MeV/(mg/cm²). The combination of low RDs(on) and low gate charge reduces the power losses in switching applications such as DC-DC converters and motor controllers. These devices retain all of the well established advantages of MOSFETs such as voltage control, fast switching and temperature stability of electrical parameters.

Features

- Low RDS(on)
- Fast Switching
- Single Event Effect (SEE) Hardened
- Low Total Gate Charge
- Simple Drive Requirements
- Hermetically Sealed
- Ceramic Eyelets
- Electrically Isolated
- Light Weight
- ESD Rating: Class 1C per MIL-STD-750, Method 1020

Absolute Maximum Ratings

	ings		auration	
	Parameter		Units	
I _{D1} @ V _{GS} = 12V, T _C = 25°C	Continuous Drain Current	20*		
I _{D2} @ V _{GS} = 12V, T _C = 100°C	Continuous Drain Current	19	А	
I _{DM} @ T _C = 25°C	Pulsed Drain Current ①	80	1	
P _D @ T _C = 25°C	Maximum Power Dissipation	75	W	
	Linear Derating Factor	0.6	W/°C	
V _{GS}	Gate-to-Source Voltage	± 20	V	
E _{AS}	Single Pulse Avalanche Energy ②	107	mJ	
I _{AR}	Avalanche Current ①	20	А	
E _{AR}	Repetitive Avalanche Energy ${\mathbb O}$	7.5	mJ	
dv/dt	Peak Diode Recovery dv/dt ③	5.5	V/ns	
TJ	Operating Junction and	-55 to + 150		
T _{STG}	Storage Temperature Range	-55 10 + 150	°C	
	Lead Temperature	300 (0.063 in. /1.6 mm from case for 10s)]	
	Weight	4.3 (Typical)	g	

*Current is limited by package For footnotes refer to the page 2.

Downloaded from Arrow.com.



Pre-Irradiation

Electrical Characteristics @ Tj = 25°C (Unless Otherwise Specified)

	Parameter	Min.	Тур.	Max	Units	Test Conditions
BV _{DSS}	Drain-to-Source Breakdown Voltage	100			V	V _{GS} = 0V, I _D = 1.0mA
$\Delta BV_{DSS}/\Delta T_{J}$	Breakdown Voltage Temp. Coefficient		0.12		V/°C	Reference to 25°C, I _D = 1.0mA
R _{DS(on)}	Static Drain-to-Source On- Resistance			0.042	Ω	V _{GS} = 12V, I _{D2} = 19A ④
V _{GS(th)}	Gate Threshold Voltage	2.0		4.0	V	$\lambda = \lambda = 10$
$\Delta V_{GS(th)} / \Delta T_J$	Gate Threshold Voltage Coefficient		-8.72		mV/°C	$V_{DS} = V_{GS}, I_D = 1.0 \text{mA}$
gfs	Forward Transconductance	14			S	V _{DS} = 15V, I _{D2} = 19A ④
I _{DSS}	Zoro Cato Voltago Drain Current			10		$V_{DS} = 80V, V_{GS} = 0V$
	Zero Gate Voltage Drain Current			25	μA	$V_{DS} = 80V, V_{GS} = 0V, T_{J} = 125^{\circ}C$
I _{GSS}	Gate-to-Source Leakage Forward			100	nA	V _{GS} = 20V
	Gate-to-Source Leakage Reverse			-100		V _{GS} = -20V
Q_{G}	Total Gate Charge			50		I _{D1} = 20A
Q_{GS}	Gate-to-Source Charge			15	nC	V _{DS} = 50V
Q _{GD}	Gate-to-Drain ('Miller') Charge			12		V _{GS} = 12V
t _{d(on)}	Turn-On Delay Time			20		V _{DD} = 50V
t _r	Rise Time			50	20	I _{D1} = 20A
t _{d(off)}	Turn-Off Delay Time			35	ns	R _G = 7.5Ω
t _f	Fall Time			15		V _{GS} = 12V
Ls +L _D	Total Inductance		6.8		nH	Measured from Drain lead (6mm / 0.25 in from package) to Source lead (6mm / 0.25 in from package) with Source wire internal- ly bonded from Source pin to Drain pad
C _{iss}	Input Capacitance		1710			V _{GS} = 0V
C _{oss}	Output Capacitance		343		pF	V _{DS} = 25V
C _{rss}	Reverse Transfer Capacitance		6.5			f = 1.0MHz
R _G	Gate Resistance		1.1		Ω	f = 1.0MHz, open drain

Source-Drain Diode Ratings and Characteristics

	Parameter	Min.	Тур.	Max	Units	Test Conditions
Is	Continuous Source Current (Body Diode)			20*	А	
I _{SM}	Pulsed Source Current (Body Diode) ①			80	A	
V_{SD}	Diode Forward Voltage			1.2	V	T_J = 25°C, I_S = 20A, V_{GS} = 0V ④
t _{rr}	Reverse Recovery Time			250	ns	$T_{\text{J}} = 25^{\circ}C \ , I_{\text{F}} = 20A, \ V_{\text{DD}} \le 25V$
Q _{rr}	Reverse Recovery Charge	2.7 μC di/dt = 100A/μs 0		di/dt = 100A/µs ④		
t _{on}	Forward Turn-On Time	Intrinsic turn-on time is negligible (turn-on is dominated by $L_{S}+L_{D}$)				

* Current is limited by package

Thermal Resistance

	Parameter	Min.	Тур.	Max.	Units
$R_{ ext{ heta}JC}$	Junction-to-Case			1.67	°C/W
$R_{ ext{ heta}JA}$	Junction-to-Ambient (Typical Socket Mount)			80	C/W

Footnotes:

- ① Repetitive Rating; Pulse width limited by maximum junction temperature.
- $@~V_{\text{DD}}$ = 25V, starting T_{J} = 25°C, L = 0.54mH, Peak I_L = 20A, V_{GS} = 12V
- $\ \ \, \mathbb{3} \quad I_{SD} \leq 20A, \, di/dt \leq 575A/\mu s, \, V_{DD} \leq 100V, \, T_J \leq 150^\circ C$
- ④ Pulse width \leq 300 µs; Duty Cycle \leq 2%
- \odot Total Dose Irradiation with V_{GS} Bias: 12 volt V_{GS} applied and V_{DS} = 0 during irradiation per MIL-STD-750, Method 1019, condition A.
- \odot Total Dose Irradiation with V_{DS} Bias: 80 volt V_{DS} applied and V_{GS} = 0 during irradiation per MIL-STD-750, Method 1019, condition A.



Radiation Characteristics

IR HiRel Radiation Hardened MOSFETs are tested to verify their radiation hardness capability. The hardness assurance program at International Rectifier is comprised of two radiation environments. Every manufacturing lot is tested for total ionizing dose (per notes 5 and 6) using the TO-3 package. Both pre- and post-irradiation performance are tested and specified using the same drive circuitry and test conditions in order to provide a direct comparison.

	Parameter	Up to 300	kRads (Si) ¹	Units	Test Conditions	
	Falameter	Min.	Max.	Units	Test conditions	
BV _{DSS}	Drain-to-Source Breakdown Voltage	100		V	$V_{GS} = 0V, I_{D} = 1.0mA$	
V _{GS(th)}	Gate Threshold Voltage	2.0	4.0	V	$V_{DS} = V_{GS}, I_{D} = 1.0 \text{mA}$	
I _{GSS}	Gate-to-Source Leakage Forward		100	nA	V _{GS} = 20V	
I _{GSS}	Gate-to-Source Leakage Reverse		-100	nA	V _{GS} = -20V	
I _{DSS}	Zero Gate Voltage Drain Current		10	μA	V _{DS} = 80V, V _{GS} = 0V	
R _{DS(on)}	Static Drain-to-Source On-State ④ Resistance (TO-3)		0.045	Ω	V _{GS} = 12V, I _{D2} = 19A	
R _{DS(on)}	Static Drain-to-Source On-State ④ Resistance (Low Ohmic TO-257AA)		0.042	Ω	V _{GS} = 12V, I _{D2} = 19A	
V_{SD}	Diode Forward Voltage		1.2	V	V _{GS} = 0V, I _S = 20A	

Table1. Electrical Characteristics @ Tj = 25°C, Post Total Dose Irradiation \$6

1. Part numbers IRHYS67130CM, JANSR2N7588T3 and IRHYS63130CM, JANSF2N7588T3

IR HiRel radiation hardened MOSFETs have been characterized in heavy ion environment for Single Event Effects (SEE). Single Event Effects characterization is illustrated in Fig. a and Table 2.

 Table 2. Typical Single Event Effect Safe Operating Area

Ī		F	VDS (V)						
	LET (MeV/(mg/cm²))	Energy (MeV)	Range (µm)	@ VGS = 0V	@ VGS = -5V	@ VGS = -10V	@ VGS = -15V	@ VGS = -19V	@ VGS = -20V
	39 ± 5%	315 ± 5%	40 ± 5%	100	100	100	100	100	40
	61 ± 5%	345 ± 5%	32 ± 7.5%	100	100	100	30		
	90 ± 5%	375 ± 7.5%	29 ± 7.5%	100	100				




Fig a. Typical Single Event Effect, Safe Operating Area

For footnotes refer to the page 2.



Pre-Irradiation




Fig 1. Typical Output Characteristics




Fig 3. Typical Transfer Characteristics




Fig 5. Typical On-Resistance Vs Gate Voltage






Fig 2. Typical Output Characteristics




Vs. Temperature







Pre-Irradiation





Ъ

12.6A

125

150

BOTTOM 20A

9.0A

TOP

Pre-Irradiation




Fig 13. Maximum Safe Operating Area



100

75

Fig 14. Maximum Avalanche Energy Vs. Drain Current




Fig 15. Maximum Effective Transient Thermal Impedance, Junction-to-Case



Pre-Irradiation




Fig 16a. Unclamped Inductive Test Circuit




Fig 17a. Gate Charge Waveform






Fig 18a. Switching Time Test Circuit








Fig 17b. Gate Charge Test Circuit





Fig 18b. Switching Time Waveforms



Case Outline and Dimensions - Low Ohmic - TO-257AA



4. OUTLINE CONFORMS TO JEDEC OUTLINE TO-257AA

BERYLLIA WARNING PER MIL-PRF-19500

Package containing beryllia shall not be ground, sandblasted, machined, or have other operations performed on them which will produce beryllia or beryllium dust. Furthermore, beryllium oxide packages shall not be placed in acids that will produce fumes containing beryllium.



www.infineon.com/irhirel

Infineon Technologies Service Center: USA Tel: +1 (866) 951-9519 and International Tel: +49 89 234 65555 Leominster, Massachusetts 01453, USA Tel: +1 (978) 534-5776 San Jose, California 95134, USA Tel: +1 (408) 434-5000 Data and specifications subject to change without notice.



IMPORTANT NOTICE

The information given in this document shall be in no event regarded as guarantee of conditions or characteristic. The data contained herein is a characterization of the component based on internal standards and is intended to demonstrate and provide guidance for typical part performance. It will require further evaluation, qualification and analysis to determine suitability in the application environment to confirm compliance to your system requirements.

With respect to any example hints or any typical values stated herein and/or any information regarding the application of the product, Infineon Technologies hereby disclaims any and all warranties and liabilities of any kind including without limitation warranties on non- infringement of intellectual property rights and any third party.

In addition, any information given in this document is subject to customer's compliance with its obligations stated in this document and any applicable legal requirements, norms and standards concerning customer's product and any use of the product of Infineon Technologies in customer's applications.

The data contained in this document is exclusively intended for technically trained staff. It is the responsibility of any customer's technical departments to evaluate the suitability of the product for the intended applications and the completeness of the product information given in this document with respect to applications.

For further information on the product, technology, delivery terms and conditions and prices, please contact your local sales representative or go to (<u>www.infineon.com/hirel)</u>.

WARNING

Due to technical requirements products may contain dangerous substances. For information on the types in question, please contact your nearest Infineon Technologies office.