SMD / SMT Inductors (Coils) SLF12565T-221M1R0-H

Applications	Automotive Grade	
Feature	AEC-Q200 AEC-Q200 Wire Wound Shield Magnetic Shield Ferrite Core	1200
Series Type	SLF-H	
Status	Production	
Brand	ТДК	

Size		
Length(L)	12.50mm ±0.30mm	
Width(W)	12.50mm ±0.30mm	
Thickness Height	6.50mm ±0.35mm	
Recommended Land Pattern (A)	2.60mm Nom.	
Recommended Land Pattern (B)	8.50mm Nom.	
Recommended Land Pattern (C)	3.20mm Nom.	


Electrical Characteristics				
Inductance	220µH ±20% at 1kHz			
Rated Current (L Change) [Typ.]				
Rated Current (L Change) [Max.]	1A (10% Down)			
Rated Current (Temperature Rise) [Typ.]	1.2A (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	273mΩ			
DC Resistance [Max.]	327.6mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				


Other				
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 125°C			
Coldering Method	Reflow			
Soldering Method	Iron Soldering			
AEC-Q200	YES			
Packing	Embossed (Plastic)Taping [330mm Reel, Tape width 24mm]			
Package Quantity	500pcs			
Weight	3.2g			


! Images are for reference only and show exemplary products.


! This PDF document was created based on the data listed on the TDK Corporation website.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)











SLF12565T-221M1R0-H






! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.