

# **Ceramic Resonators**

Lead type 3.45 to 40MHz

FCR(Built-in load capacitance/External load capacitance) series

Issue date: January 2011

<sup>•</sup> All specifications are subject to change without notice.

<sup>•</sup> Conformity to RoHS Directive: This means that, in conformity with EU Directive 2002/95/EC, lead, cadmium, mercury, hexavalent chromium, and specific bromine-based flame retardants, PBB and PBDE, have not been used, except for exempted applications.

## &TDK

# Ceramic Resonators(Lead) FCR Series

#### **Conformity to RoHS Directive**

#### **FEATURES**

- The FCR series are small leaded ceramic resonators that used thickness shear mode or 3rd over tone thickness mode element of piezo ceramics with both 3.45 to 10.0MHz and 16.0 to 50.0MHz.
- The products has a function of loading capacitance so you don't need external capacitors. You can design a simplifying circuit and cut down mounting costs.
- Optimization of the temperature characteristics of both the piezoelectric element and loading capacitance has resulted in stable oscillating frequency.
- Ammo packing is available for various automatic insert machine (1500pieces/box). Short lead type and L-bend lead type are also available, please contact TDK.
- Setting or matching of oscillating circuit condition which correspond to new models IC, application IC or custom IC are available, please contact TDK.
- The products don't contain Lead at solder of internal joint and solder plating of lead wire. You can use both Pb free solder (Sn-3Ag-0.5Cu) and Sn-Pb eutectic solder on your production.

#### **TEMPERATURE RANGES**

Operating/Storage	−40 to +85°C	

#### **OSCILLATING FREQUENCY DRIFT OVER TEMPERATURE**

±0.3%/-40 to +85°C(Standard)

#### **OSCILLATING FREQUENCY AGING**

±0.3%/10years(Standard)


### SHAPES AND DIMENSIONS FCR\*\*.\*MC5 BUILT-IN LOADING TYPE

9.5max. 5max.


\*.\*MC
TDKOA

2.5±0.3 2.5±0.3 ø0.55±0.1

FCR\*\*.\*M5
EXTERNAL LOADING TYPE



# FCR\*\*.\*M6 EXTERNAL LOADING TYPE



#### **PRODUCT IDENTIFICATIONS**

FCR	4.0	MC5					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

#### (1) Series name

FCR	Ceramic resonator (lead)	

#### (2) Oscillating frequency

#### (3) Production type and dimensions

Symbol	Oscillating frequency range	Loading capacitance
M5	3.45 to 10.0 MHz	External
MC5	3.45 to 10.0 MHz	Internal
M6	16.0 to 50.0 MHz	External

#### (4) Initial oscillating frequency tolerance

Symbol	M5	MC5	M6
Non	±0.5%	±0.5%	±0.5%
A	±0.3%	±0.3%	_
Others	Custom made		

#### (5) Oscillating frequency correlation

Non	Non correlation for TDK Standard
F	Custom made
F1	Custom made
F2	Custom made
Others	Custom made

#### (6) Loading capacitance

#### (7) Products thickness

Non	Standard	
N	Custom made	
Others	Custom made	

#### (8) Packaging style and lead length

Symbol	Packaging style	Lead length
Non	Bulk (500pieces)	Standard
NOH	Bulk (500pleces)	(5mm)
M	Bulk (500pieces)	3.1mm
M3	Bulk (500pieces)	3.0mm
Т	Taping	
	(Ammo pack 16mm height,1500pieces)	_
T3	Taping	
13	(Ammo pack 18mm height,1500pieces)	_
Others	Custom made	

- Conformity to RoHS Directive: This means that, in conformity with EU Directive 2002/95/EC, lead, cadmium, mercury, hexavalent chromium, and specific bromine-based flame retardants, PBB and PBDE, have not been used, except for exempted applications.
- All specifications are subject to change without notice.



#### **ELECTRICAL CHARACTERISTICS**

Part No.	Oscillating frequency Fosc	Resonant impedance	Initial Fosc tolerance*	Capacitance CL1/CL2
	(MHz)	$Ro(\Omega)$	(%)	(pF)
FCR**.*MC5 type(Built-in	0 7. 7			
FCR3.45MC5	3.45	20	±0.5	30/30
FCR3.52MC5	3.52	20	±0.5	30/30
FCR3.58MC5	3.58	20	±0.5/0.3	30/30
FCR3.64MC5	3.64	20	±0.5	30/30
FCR3.84MC5	3.84	20	±0.5	30/30
FCR4.0MC5	4.00	20	±0.5/0.3	30/30
FCR4.19MC5	4.19	20	±0.5/0.3	30/30
FCR5.0MC5	5.00	20	±0.5/0.3	30/30
FCR6.0MC5	6.00	20	±0.5/0.3	30/30
FCR8.0MC5	8.00	30	±0.5/0.3	20/20
FCR8.38MC5	8.38	30	±0.5/0.3	20/20
FCR10.0MC5	10.00	30	±0.5/0.3	20/20
FCR**.*M5 type(External	loading type)			
FCR3.45M5	3.45	20	±0.5	
FCR3.52M5	3.52	20	±0.5	
FCR3.58M5	3.58	20	±0.5/0.3	
FCR3.64M5	3.64	20	±0.5	
FCR3.84M5	3.84	20	±0.5	
FCR4.0M5	4.00	20	±0.5/0.3	
FCR4.19M5	4.19	20	±0.5/0.3	
FCR5.0M5	5.00	20	±0.5/0.3	
FCR6.0M5	6.00	20	±0.5/0.3	
FCR8.0M5	8.00	30	±0.5/0.3	
FCR8.38M5	8.38	30	±0.5/0.3	
FCR10.0M5	10.00	30	±0.5/0.3	
FCR**.*M6 type(External	loading type)			
FCR16.0M6	16.00	40	±0.5	
FCR18.0M6	18.00	40	±0.5	
FCR18.43M6	18.43	40	±0.5	
FCR24.0M6	24.00	40	±0.5	
FCR25.0M6	25.00	40	±0.5	
FCR33.86M6	33.86	40	±0.5	
FCR40.0M6	40.00	40	±0.5	

<sup>\* ±0.5%</sup> is standard.

#### **RELIABILITY AND TEST CONDITIONS**

The following test items are satisfied.

- (1) Oscillating frequency change: within  $\pm 0.25\%$
- (2) Resonant resistance change: within  $\pm 10\Omega$
- (3) Appearance, serious abnormalities not to exist.

Test items	Test conditions
Low temperature	Temperature: -40±3°C
storage characteristics	Time: 1000h
High temperature	Temperature: +85±2°C
storage characteristics	Time: 1000h
	Humidity: 90 to 95(%)RH
Humidity resistance	Temperature: 60±2°C
	Time: 100h
Thermal shock	-40°C (30min), 85°C (30min) x 100 cycles
Soldering heat resistance	Solder temperature: peak 260°C, 10s flow
Dron	Drop 3 times onto the concrete from a
Drop	height of 1m
	Frequency: 10 ⇔ 55 ⇔ 10Hz/min
Vibration	Amplitude: 1.5mm
	X, Y and Z directions for 2h each

#### **SOLDERABILITY**

The lead wires are adopted Pb free plating wire to apply Pb free soldering. You can also use current Sn-Pb eutectic solder.

Test conditions	Test result
With Rosin-ethanol 25% by weight, dip in Sn-Pb	95% minimum of
eutectic solder bath at 230±5°C for 3±0.5sec. or	surface should be
Pb free solder(Sn-3Ag-0.5Cu) bath at 245±2°C	covered by new solder.
for 3±0.2sec.	

## RECOMMENDED SOLDERING CONDITIONS

This is the fit product for flow soldering.

#### **FLOW SOLDERING CONDITION**

Heat-resistant temperature	260±5°C	
Heat-resistant time	10±1sec.	
Number of times	1time	

<sup>•</sup> These values are typical. Application frequency is also available. Please contact TDK.

<sup>•</sup> All specifications are subject to change without notice.