

TLI4970050 2 GO KIT


- [Overview](#)
- [Documents](#)
- [Order](#)
- [Boards](#)
- [Support](#)
- [Software & Tools](#)

Description:

The Current Sensor 2GO is a budget-priced evaluation board equipped with a current sensor combined with an ARM® Cortex™-M0 CPU. The Current Sensor 2GO has a complete set of on-board devices, including an on-board debugger. Build your own application and gadget with the Current Sensor 2GO. More information and free downloads at [Sensors 2GO](#).

Summary of Features:

- TLI4970-D050T4 (current sensor with digital interface)
- XMC1100 (ARM® Cortex™-M0 based)
- On-board J-Link Lite Debugger (Realized with XMC4200 Microcontroller)
- Power over USB (Micro USB), ESD and reverse current protection
- GUI for free download in -32-bit or -64-bit



Solution Finder

MOSFET
IGBT
Vreg
MCU
More

<input type="radio"/> ESD Protection	<input type="radio"/> Sim Models
<input type="radio"/> Bipolar Transistor	<input type="radio"/> Eval Boards
<input type="radio"/> Diode (Rectifier)	
<input type="radio"/> Smart Switch	<input checked="" type="radio"/> Infineon Tools
<input type="radio"/> Transceivers	<input type="radio"/> IGBT Tools

Reset
Find >

Follow us



