


## Laboratory Sample Kit Precision MELF Resistors



## **KEY BENEFITS**

- AEC-Q200 qualified resistors
- Resistors approved according to EN 140401-803
- · Advanced thin film technology
- R-values from E 96 series (every 4th value of E96)
- Convenient DIN A5 packaging size

## **APPLICATIONS**

- Solar inverters
- Power meters
- Engine- and gearbox control units
- Test- and measurement equipment
- Power supplies
- Lighting

## **RESOURCES**

Datasheet: LMA 96/4 - <a href="http://www.vishay.com/doc?28856">http://www.vishay.com/doc?28856</a>
LMB 96/4 - <a href="http://www.vishay.com/doc?28857">http://www.vishay.com/doc?28857</a>

• For technical questions contact melf@vishay.com

One of the World's Largest Manufacturers of Discrete Semiconductors and Passive Components



VMN-PT0330-1208




# Laboratory Sample Kit Precision MELF Resistors

SPECIFICATIONS	
Laboratory kit	LMA 96/4
Resistor type	MMA 0204-25 0.1 %
Temperature coefficient	± 25 ppm/K
Tolerance	± 0.1 %
Resistance range/E-series	43 $\Omega$ to 511 k $\Omega$ /every 4 <sup>th</sup> value of E 96 <sup>(1)</sup>
Number of resistance values	99
Resistors per value/total	20/1980
Number of pages/files	10/1

#### Notes

- The products are specified by the underlying standard product's datasheet "Precision MELF Resistors" in its most current edition at <u>www.vishay.com/doc?28714</u>
- (1) Supplemented by 43R




### Note

The product can be ordered using either the PART NUMBER or the PRODUCT DESCRIPTION

SPECIFICATIONS	
Laboratory kit	LMB 96/4
Resistor type	MMB 0207-25 0.1 %
Temperature coefficient	± 25 ppm/K
Tolerance	± 0.1 %
Resistance range/E-series	33 $\Omega$ to 1 M $\Omega$ /every 4 <sup>th</sup> value of E 96 <sup>(1)</sup>
Number of resistance values	109
Resistors per value/total	20/2180
Number of pages/files	11/1

### Notes

- The products are specified by the underlying standard product's datasheet "Precision MELF Resistors" in its most current edition at <u>www.vishay.com/doc?28714</u>
- (1) Supplemented by 33R



Revision 25-Jan-12

Note

The product can be ordered using either the PART NUMBER or the PRODUCT DESCRIPTION