



Products ∨

Solutions ∨

Support ∨

About ∨

Q Search

Home > Memory and Storage Products > MLC NAND > MT29F256G08CJAAAWP-Z

g⁺ in 💆 f

MT29F256G08CJAAAWP-Z



SPECS

SIM MODELS & **SOFTWARE**

ROHS CERTIFICATES **DOCUMENTATION** & SUPPORT

PARTS WITH THE SAME DATA SHEET (13)

TO BUY

Data Sheets (1)



L74A NAND datasheet

L74A NAND datasheet

Updated: 08/2016 File Type: PDF

China MLC NAND NAND Flash Taiwan USA

DOWNLOAD

SEE ALL MLC NAND PARTS

Specs

Orderable Parts for: MT29F256G08CJAAAWP-Z

	Status	Media	FBGA Code	SPD Data	Chipset Validation	PLP	Start Date	Alternative Part
MT29F256G08CJAAAWP- Z:A	Contact Factory	N/A	N/A	N/A	N/A	No		N/A

Detailed Specifications

Density	256Gb	Status	Contact Factory	NAND Type	2D	RoHS	Yes
Width	x8	Voltage	3.3V	Package	TSOP	Pin Count	48-pin
Op. Temp.	0C to +70C	MT/s		1/0	Common	Product Name	

Sim Models & Software

Sim Models



IBIS: NAND 64/128/256/512Gb MLC (Rev A) L74A (ZIP)

MLC NAND NAND Flash

Rev. 2.2

File Type: ZIP

Updated: 11/18/2016

DOWNLOAD

HSpice

HSpice: NAND 64/128/256/512Gb MLC (Rev A) L74A (ZIP)

MLC NAND NAND Flash

Rev. 2.1

File Type: ZIP

Updated: 02/10/2011

DOWNLOAD

Software

Software Support Pack

mtd-nand-use-a-lower-value-for-badblockbits-when-working-with-MLC-NAND (ZIP)

MLC NAND NAND Flash

MLC NANDs have more bit flips that SLC. When looking for bad block marker we have a lot of false positive if we check for the whole byte. To avoid this tolerate a few (4 here) bit flips for byte.

File Type: ZIP

Updated: 03/31/2016

DOWNLOAD

Software Support Pack

NAND FLASH lockunlock bug fix (ZIP)

MLC NAND NAND Flash SLC NAND

Reset NAND before write protect check.

DOWNLOAD

File Type: ZIP

Updated: 03/31/2016

Software Support Pack

fixup-ubi-cannot-recover-master node issue (ZIP)

MLC NAND NAND Flash

For MLC NAND, paired page issue is now a common known issue. This patch is just for master node cannot be recovered while there will two pages be dameged in one single master block.

File Type: ZIP

Updated: 03/31/2016

DOWNLOAD

Software Support Pack

UBI power loss issue for paired page Ver2.0 (ZIP)

Downloaded from Arrow.com.

MLC NAND NAND Flash These patches aim to solve MLC NAND paired page power loss issue by adding a bakvol (backup volume) module in UBI layer. 70 series and 80 series families.

File Type: ZIP

Updated: 03/31/2016

DOWNLOAD

Software Support Pack

YAFFS mark bad block issue (ZIP)

If the bitflips num over mtd->bitflip_threshold the mtd_read_oob will return -EUCLEAN and tags->ecc_result > YAFFS_ECC_RESULT_NO_ERROR. Then we will call yaffs_handle_chunk_error.

File Type: ZIP

Updated: 03/31/2016

SLC NAND

MLC NAND

NAND Flash

DOWNLOAD

RoHS Certificates

RoHS Certificates

RoHS Certificate of Compliance (PDF)

Part-specific certification of how this product meets the requirements of the current DIRECTIVE 2002/95/EC, a.k.a. Restriction of Hazardous Substances (RoHS) Directive.

File Type: (PDF)

Updated: 11/2016

MT29F256G08CJAAAWP-Z

DOWNLOAD

RoHS Certificates

China RoHS Certificate (PDF)

Part-specific certification as required by China's Management Methods for Controlling Pollution by Electronic Information Products.

File Type: (PDF)

Updated: 11/2016

MT29F256G08CJAAAWP-Z

DOWNLOAD

Documentation & Support

See All MLC NAND Documentation

Technical Notes

SEARCH (4) MLC NAND TECHNICAL NOTES

Technical Notes

(TN-00-33) This technical note describes the new features in IBIS 5.0 enabling PI simulation. It also provides an overview of some of the modeling accuracy challenges and compares SSO simulation results using various electronic design automation (EDA) software tools.

File Type: PDF **Updated:** 01/25/2016 See More Tags

DDR4 SDRAM DRAM

DOWNLOAD

Technical Notes

TN-00-01: Moisture Sensitivity of Plastic Packages (PDF)

(TN-00-01) This technical note describes shipping procedures for preventing memory devices from absorbing moisture and recommendations for baking devices exposed to excessive moisture.

File Type: PDF

Updated: 02/14/2013

DDR SDRAM DDR2 SDRAM DDR3 SDRAM DDR3L-RS See More Tags

DOWNLOAD

MLC NAND

NAND Flash

SLC NAND

Technical Notes

TN-29-65: Software Device Drivers for Very Large Page Micron NAND Flash Memory

(PDF)

(TN-29-65) Download the low-level driver described in this document here.

File Type: PDF

Updated: 10/15/2010

DOWNLOAD

Technical Notes

TN-29-61: Wear Leveling in NAND Flash Memory (PDF)

MLC NAND NAND Flash SLC NAND

(TN-29-61) This technical note describes the recommended wear leveling algorithm to be implemented in the FTL software for NAND Flash memory.

File Type: PDF

Updated: 10/15/2010

DOWNLOAD

SEARCH (4) MLC NAND TECHNICAL NOTES

Parts with the same Data Sheet (13)

	MT29F256G08CJAAAWP-Z (Current)		MT29F512G08CUCABH3-10IT Z	MT29F512G08CUCABH3-10Z	MT29F256G08CMCABH2-12I TZ		
	Status	Contact Factory	Contact Factory	Contact Factory	Contact Factory		
	Density	256Gb	512Gb	512Gb	256Gb		
Dow	NAND Type	2D	2D	2D	2D		
Dow	NAND Type Inloaded from A		2D	2D	2D		

	RoHS	Yes	Yes	Yes	Yes
	Width	х8	x8	x8	x8
	Voltage	3.3V	3.3V	3.3V	3.3V
	Package	TSOP	LBGA	LBGA	TBGA
	Pin Count	48-pin	100-ball	100-ball	100-ball
	Op. Temp. 0C to +70C		-40C to +85C	0C to +70C	-40C to +85C
		MT/s	200 MT/s	200 MT/s	166 MT/s
	VO Common		Common	Common	Common
Product Name		Product Name			

Where to Buy


Orderable Parts

	Status	Media	FBGA Code	SPD Data	Chipset Validation	PLP	Start Date	Alternative Part
MT29F256G08CJAAAWP- Z:A	Contact Factory	N/A	N/A	N/A	N/A	No		N/A

Contact Your Sales Rep

CONTACT A REP

- OR - Check with Distributors



See All Distributors

Client SSD Storage
Data Center
Embedded Memory Solutions
Enterprise SSD Storage
Mobile Memory Solutions
Networking Innovations
Supercomputing Memory

DRAM
DRAM Modules
NAND Flash
Managed NAND
NOR Flash
Hybrid Memory Cub
Multichip Packages

Solid State Drives

Micron Blogs
Micron Foundation
Emerging Technologies
Locations
Our Commitment

News and Events

Authorized Distributors Contact Us Jobs Authorized Sales
Site Map
Surplus Equipment
Terms of Use
Terms and Conditions of
Sale







©2016 Micron Technology, Inc. All rights reserved. Information, products, and/or specifications are subject to change without notice. All information is provided on an "AS IS" basis without warranties of any kind Drawings may not be to scale. Micron, the Micron logo, and all other Micron trademarks are the property of Micron Technology, Inc. All other trademarks are the property of their respective owners.