

# SAF775DHN(Active)

Package HVQFN plastic thermal enhanced very thin quad flat package; no leads; 184 terminals; body 12 x 12 x 0.85 mm



[Buy Options](#) | [Operating Characteristics](#) | [Environmental Information](#) | [Quality Information](#) | [Shipping Information](#)

## Buy Options

SAF775DHN/N208Z/AK

935371941557

Active

[TRAY-Tray, Bakeable, Multiple in Drypack](#)

Min. Package Quantity: 840

Lead Time: 16 weeks



Available Distributors: SAF775DHN/N208Z/AK



SAF775DHN/N208Z/KK

935371067557

Active

[TRAY-Tray, Bakeable, Multiple in Drypack](#)

Min. Package Quantity: 840

Lead Time: 16 weeks



Available Distributors: SAF775DHN/N208Z/KK



SAF775DHN/N208Z/MP

935371067528

Active

[REEL-Reel 13" Q2/T3 in Drypack](#)

Min. Package Quantity: 2000

Lead Time: 16 weeks



Available Distributors: SAF775DHN/N208Z/MP



SAF775DHN/N208ZAMP

935371941528

Active

[REEL-Reel 13" Q2/T3 in Drypack](#)

Min. Package Quantity: 2000

Lead Time: 16 weeks



Available Distributors: SAF775DHN/N208ZAMP

SAF775DHN/N208ZK

935347737557

Active

[TRAY-Tray, Bakeable, Multiple in Drypack](#)

Min. Package Quantity: 840

Lead Time: 16 weeks



Available Distributors: SAF775DHN/N208ZK



SAF775DHN/N208ZMP

935347737528

Active

[REEL-Reel 13" Q2/T3 in Drypack](#)

Min. Package Quantity: 2000

Lead Time: 16 weeks



Available Distributors: SAF775DHN/N208ZMP



## Operating Characteristics

No information available

## Environmental Information

Material Declaration	PbFree	EU RoHS	Halogen Free	RHF Indicator	REACH SVHC	Weight (mg)
SAF775DHN/N208Z/AK(935371941557)	Yes	Yes	Yes	D	<a href="#">REACH SVHC</a>	255.67186700000002
SAF775DHN/N208Z/KK(935371067557)	Yes	Yes	Yes	D	<a href="#">REACH SVHC</a>	255.67186700000002
SAF775DHN/N208Z/MP(935371067528)	Yes	Yes	Yes	D	<a href="#">REACH SVHC</a>	255.67186700000002
SAF775DHN/N208ZAMP(935371941528)	Yes	Yes	Yes	D	<a href="#">REACH SVHC</a>	255.67186700000002
SAF775DHN/N208ZK(935347737557)	Yes	Yes	Yes	D	<a href="#">REACH SVHC</a>	255.67186700000002
SAF775DHN/N208ZMP(935347737528)	Yes	Yes	Yes	D	<a href="#">REACH SVHC</a>	255.67186700000002

## Quality Information

Material Declaration	Safe Assure Functional Safety	Moisture Sensitivity Level (MSL)		Peak Package Body Temperature (PPT) (C°)	
		Lead Soldering	Lead Free Soldering	Lead Soldering	Lead Free Soldering
SAF775DHN/N208Z/AK (935371941557)	No	3	3	240	260
SAF775DHN/N208Z/KK (935371067557)	No	3	3	240	260
SAF775DHN/N208Z/MP (935371067528)	No	3	3	240	260
SAF775DHN/N208ZAMP (935371941528)	No	3	3	240	260
SAF775DHN/N208ZK (935347737557)	No	3	3	240	260
SAF775DHN/N208ZMP	No	3	3	240	260

Material Declaration	Safe Assure Functional Safety	Moisture Sensitivity Level (MSL)		Peak Package Body Temperature (PPT) (C°)	
		Lead Soldering	Lead Free Soldering	Lead Soldering	Lead Free Soldering

## Shipping Information

Part Number	Harmonized Tariff (US) <a href="#">Disclaimer</a>
SAF775DHN/N208Z/AK ( 935371941557)	854231
SAF775DHN/N208Z/KK ( 935371067557)	854231
SAF775DHN/N208Z/MP ( 935371067528)	854231
SAF775DHN/N208ZAMP ( 935371941528)	854231
SAF775DHN/N208ZK ( 935347737557)	854231
SAF775DHN/N208ZMP ( 935347737528)	854231

**News** 1 Jul 2020 | NXP Semiconductors Announces Conference Call to Review Second Quarter 2020 Financial Results [Read More](#)



[ABOUT NXP](#) [CAREERS](#) [INVESTORS](#) [MEDIA](#) [CONTACT](#) [SUBSCRIBE](#)



[Privacy](#) | [Terms of Use](#) | [Terms of Sale](#) | [Slavery and Human Trafficking Statement](#) | [Accessibility](#)

©2006-2020 NXP Semiconductors. All rights reserved.