

Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of DEA1X3F180JP3A from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-us/products/productdetail?partno=DEA1X3F180JP3A

DEA1X3F180JP3A



Appearance & Shape







References

Packaging	Specifications	Standard Packing Quantity
A	Ammo Pack	900

Mass (typ.)		
1 piece	0.26g	

1 of 2

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





DEA1X3F180JP3A

Note: This datasheet may be out of date. Please download the latest datasheet of DEA1X3F180JP3A from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DEA1X3F180JP3A

Specifications

L size or Outer diameter D	5.0mm max.	
T size	6.0mm max.	
Lead spacing F	7.5±1.0mm	
Lead diameter d	0.6±0.05mm	
Paint dripping e	3.0mm max.	
Capacitance	18pF ±5%	
Rated voltage	3150Vdc	
Temperature characteristics	SL(JIS)	
Temperature range of temperature characteristics	20℃ to 85℃	
Operating Temperature Range	-25°C to 125°C	
тс	+350 to -1000ppm/°C	

2 of 2

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

- without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

