

Note: This datasheet may be out of date.  $Please\ download\ the\ latest\ data sheet\ of\ DE1E3RA152MJ4BP01F\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE1E3RA152MJ4BP01F

## DE1E3RA152MJ4BP01F
















## Appearance & Shape







## References

Packaging	Specifications	Standard Packing Quantity
В	Bulk(Bag)	500

Mass (typ.)	
1 piece	0.25g



## **Notices**

X1/Y1 Class Certified Products, Halogen-free Products, Rated Voltage X1:440Vac(r.m. s.)/Y1:300Vac(r.m.s.)/1kVdc

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





# DE1E3RA152MJ4BP01F

Note: This datasheet may be out of date.

Please download the latest datasheet of DE1E3RA152MJ4BP01F from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE1E3RA152MJ4BP01F



## **Specifications**

L size or Outer diameter D	8.0mm max.	
T size	4.0mm max.	
Lead spacing F	10.0±0.8mm	
Lead diameter d	0.6±0.05mm	
Paint dripping e	Up to the end of crimp	
Capacitance	1500pF ±20%	
Rated voltage	300Vac(r.m.s.)	
Temperature characteristics	E(JIS)	
Capacitance change rate	+20/-55%	
Temperature range of	-25°C to 85°C	
temperature characteristics	20 C to 00 C	
Operating Temperature	-40°C to 125°C	
Range		

2 of 4

#### Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date. Please download the latest datasheet of DE1E3RA152MJ4BP01F from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-us/products/productdetail?partno=DE1E3RA152MJ4BP01F


## DE1E3RA152MJ4BP01F





## Characteristic Data

The charts below may show another part number which shares its characteristics.









3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering






## OR IN ELECTRONICS

Note: This datasheet may be out of date.

Please download the latest datasheet of DE1E3RA152MJ4BP01F from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE1E3RA152MJ4BP01F

# DE1E3RA152MJ4BP01F



DE1E3RA152MJ4BP01F S21 DC0V, 20degC

4 of 4

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

