



DHR4E4B101K2BB



Appearance & Shape



(in mm)

References

Packaging	Specifications	Standard Packing Quantity
B	Bulk(Bag)	200

Mass (typ.)	
1 piece	0.84g

Attention

- 1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2.This datasheet has only typical specifications because there is no space for detailed specifications. Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

DHR4E4B101K2BB

Specifications

L size or Outer diameter D	8.0mm max.
T size	7.3mm max.
Lead spacing F	9.5±2.0mm
Lead diameter d	0.65±0.05mm
Paint dripping e	4.0mm max.
Capacitance	100pF ±10%
Rated voltage	12kVdc
Temperature characteristics	ZM(JIS)
Temperature range of temperature characteristics	25°C to 85°C
Operating Temperature Range	-25°C to 100°C
TC	-4700±1000ppm/°C

Attention


1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2.This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

DHR4E4B101K2BB

Characteristic Data



Capacitance - temperature characteristics



Capacitance - DC Bias Characteristics

Attention

- 1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2.This datasheet has only typical specifications because there is no space for detailed specifications. Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.