

Product Search Data Sheet

Note: This datasheet may be out of date.

Please download the latest datasheet of DE11XRA470KN4AN01F from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=DE11XRA470KN4AN01F

DE11XRA470KN4AN01F


















Appearance & Shape









References

Packaging	Specifications	Standard Packing Quantity
A	Ammo Pack	600

Mass (typ.)	
1 piece	0.3g



Notices

X1/Y1 Class Certified Products, Halogen-free Products, Rated Voltage X1:440Vac(r.m. s.)/Y1:250Vac(r.m.s.)/1kVdc

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





1 Toddot Ocaron Data Office

Note: This datasheet may be out of date.

Please download the latest datasheet of DE11XRA470KN4AN01F from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=DE11XRA470KN4AN01F

DE11XRA470KN4AN01F



Specifications

L size or Outer diameter D	7.0mm max.	
T size	4.00000	
I Size	4.0mm max.	
Lead spacing F	10.0±1.0mm	
Lead diameter d	0.6±0.05mm	
Paint dripping e	Up to the end of crimp	
Capacitance	47pF ±10%	
Rated voltage	250Vac(r.m.s.)	
Temperature characteristics	SL(JIS)	
Temperature range of	20°C to 85°C	
temperature characteristics		
Operating Temperature Range	-40°C to 125°C	
тс	+350 to -1000ppm/°C	

2 of 4

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




Note: This datasheet may be out of date. Please download the latest datasheet of DE11XRA470KN4AN01F from the official website of Murata Manufacturing Co., Ltd.


DE11XRA470KN4AN01F





Characteristic Data

The charts below may show another part number which shares its characteristics.









3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering







Note: This datasheet may be out of date. Please download the latest datasheet of DE11XRA470KN4AN01F from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=DE11XRA470KN4AN01F

DE11XRA470KN4AN01F



DE11XRA470KN4AN01F C-Temp. capchange, DCOV, AC1Vrm



4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

