

Product Search Data Sheet

Note: This datasheet may be out of date. $Please\ download\ the\ latest\ data sheet\ of\ DE11XKX220JN4AC05F\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE11XKX220JN4AC05F

DE11XKX220JN4AC05F



















Appearance & Shape









References

Packaging	Specifications	Standard Packing Quantity
А	Ammo Pack	500

Mass (typ.)	
1 piece	0.43g



Notices

Please use replacements or Recommended. X1/Y1 Class Certified Products, Halogen-free **Products**

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. $Please\ download\ the\ latest\ data sheet\ of\ DE11XKX220JN4AC05F\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE11XKX220JN4AC05F

DE11XKX220JN4AC05F



Specifications

L size or Outer diameter D	9.0mm max.	
T size	8.0mm max.	
Lead spacing F	10.0±1.0mm	
Lead diameter d	0.6±0.05mm	
Paint dripping e	Up to the end of crimp	
Capacitance	22pF ±5%	
Rated voltage	250Vac(r.m.s.)	
Temperature characteristics	SL(JIS)	
Temperature range of		
temperature characteristics	20°C to 85°C	
Operating Temperature		
Range	-40°C to 125°C	
TC	+350 to -1000ppm/°C	
	1330 to -1000ppiii/ C	

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




Note: This datasheet may be out of date. Please download the latest datasheet of DE11XKX220JN4AC05F from the official website of Murata Manufacturing Co., Ltd.


DE11XKX220JN4AC05F





Characteristic Data

The charts below may show another part number which shares its characteristics.









DE11XKX220JN4ACO5F C-AC Voltage capchange, I

3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




VATOR IN ELECTRONICS

Please download the latest datasheet of DE11XKX220JN4AC05F from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-us/products/productdetail?partno=DE11XKX220JN4AC05F

Note: This datasheet may be out of date.

DE11XKX220JN4AC05F



DE11XKX220JN4ACO5F C-Temp. capchange, DCOV,



DE11xkx22OJN4AcO5F S21 DcOv,2OdegC

4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

