

Product Search Data Sheet


Note: This datasheet may be out of date. Please download the latest datasheet of DE1E3KX152MJ4BP01F from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE1E3KX152MJ4BP01F DE1E3KX152MJ4BP01F



Appearance & Shape







| Packaging | Specifications | Standard Packing |
|-----------|----------------|---------------------|
| В | Bulk(Bag) | Quantity 500 |

| Mass (typ.) | |
|-------------|-------|
| 1 piece | 0.32g |



Please use replacements or Recommended. X1/Y1 Class Certified Products, Halogen-free Products

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





DE1E3KX152MJ4BP01F

Note: This datasheet may be out of date. Please download the latest datasheet of DE1E3KX152MJ4BP01F from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE1E3KX152MJ4BP01F

Specifications

| L size or Outer diameter D | 8.0mm max. | |
|--|------------------------|--|
| T size | 7.0mm max. | |
| Lead spacing F | 10.0±0.8mm | |
| Lead diameter d | 0.6±0.05mm | |
| Paint dripping e | Up to the end of crimp | |
| Capacitance | 1500pF ±20% | |
| Rated voltage | 300Vac(r.m.s.) | |
| Temperature characteristics | E(JIS) | |
| Capacitance change rate | +20/-55% | |
| Temperature range of temperature characteristics | -25°C to 85°C | |
| Operating Temperature Range | -40°C to 125°C | |

2 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

- without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet


Note: This datasheet may be out of date. Please download the latest datasheet of DE1E3KX152MJ4BP01F from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-us/products/productdetail?partno=DE1E3KX152MJ4BP01F


DE1E3KX152MJ4BP01F





The charts below may show another part number which shares its characteristics.











3 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering







Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of DE1E3KX152MJ4BP01F from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE1E3KX152MJ4BP01F

DE1E3KX152MJ4BP01F





Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



4 of 4