

Note: This datasheet may be out of date. $Please\ download\ the\ latest\ data sheet\ of\ DE21XKY220JA2BM01F\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE21XKY220JA2BM01F

DE21XKY220JA2BM01F


















Appearance & Shape







References

Packaging	Specifications	Standard Packing Quantity
В	Bulk(Bag)	250

Mass (typ.)	
1 piece	0.4g



Notices

Please use replacements or Recommended. X1/Y2 Class Certified Products, Halogen-free **Products**

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





DE21XKY220JA2BM01F

Note: This datasheet may be out of date.

Please download the latest datasheet of DE21XKY220JA2BM01F from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=DE21XKY220JA2BM01F



Specifications

L size or Outer diameter D	8.0mm max.
T size	5.0mm max.
Lead spacing F	5.0±1.0mm
Lead diameter d	0.6±0.05mm
Paint dripping e	Up to the end of crimp
Capacitance	22pF ±5%
Rated voltage	250Vac(r.m.s.)
Temperature characteristics	SL(JIS)
Temperature range of temperature characteristics	20°C to 85°C
Operating Temperature Range	-40°C to 125°C
тс	+350 to -1000ppm/°C

2 of 4

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date.


Please download the latest datasheet of DE21XKY220JA2BM01F from the official website of Murata Manufacturing Co., Ltd.


DE21XKY220JA2BM01F





Characteristic Data

The charts below may show another part number which shares its characteristics.









DE21XKY220JA2BM01F C-AC Voltage capchange, I

3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering


Product Search Data Sheet

 ${\it Please download the latest datasheet of DE21XKY220JA2BM01F from the official website of Murata}$ Manufacturing Co., Ltd.


http://www.murata.com/en-us/products/productdetail?partno=DE21XKY220JA2BM01F

Note: This datasheet may be out of date.

DE21XKY220JA2BM01F



DE21XKY220JA2BM01F C-Temp. capchange, DCOV,



DE21XKY220JA2BM01F S21 DCOV,20degC

4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

