

Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of DE6E3KJ152MA3B from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=DE6E3KJ152MA3B

DE6E3KJ152MA3B



Appearance & Shape



25.0 min. ød (in mm)



Packaging	Specifications	Standard Packing Quantity
В	Bulk(Bag)	250

Mass (typ.)		
1 piece	0.43g	



X1/Y2 Class Certified Products, Rated Voltage X1:440Vac(r.m.s.)/Y2:300Vac(r.m.s.)/1kVdc

1 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





DE6E3KJ152MA3B

Note: This datasheet may be out of date. Please download the latest datasheet of DE6E3KJ152MA3B from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=DE6E3KJ152MA3B



Specifications

L size or Outer diameter D	8.0mm max.
T size	7.0mm max.
Lead spacing F	7.5±1.0mm
Lead diameter d	0.6±0.05mm
Paint dripping e	Up to the end of crimp
Capacitance	1500pF ±20%
Rated voltage	300Vac(r.m.s.)
Temperature characteristics	E(JIS)
Capacitance change rate	+20/-55%
Temperature range of temperature characteristics	-25°C to 85°C
Operating Temperature Range	-40°C to 125°C

2 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

- without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet


Note: This datasheet may be out of date. Please download the latest datasheet of DE6E3KJ152MA3B from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-gb/products/productdetail?partno=DE6E3KJ152MA3B

DE6E3KJ152MA3B

Characteristic Data

The charts below may show another part number which shares its characteristics.





DE6E3KJ152MA3B C-AC Voltage capchange, DCOV,

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

- without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.

DE6E3KJ152MA3B C-DC bias capchange, 20.0deg(

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



3 of 4





Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of DE6E3KJ152MA3B from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=DE6E3KJ152MA3B

DE6E3KJ152MA3B





Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

- without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

Last updated09/29/2022

4 of 4