SMD / SMT Inductors (Coils) VLF302515MT-6R8M

Applications	Commercial Grade	
	Wire Wound	
Feature	Shield Magnetic Shield	
	Ferrite Core	
Series Type	VLF-M	
Status	A Obsolete	
	Recommended Alternate Part No. : <u>VLS3012HBX-6R8M-N</u> (Interchangeability is not	
	guaranteed.)	
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.31, 2021	
	Last Shipment Date : Sep.30, 2021	
Brand	TDK	


Size			
Length(L)	3.00mm ±0.20mm		
Width(W)	2.50mm ±0.20mm		
Thickness Height	1.50mm Max.		
Recommended Land Pattern (A)	0.90mm Nom.		
Recommended Land Pattern (B)	0.80mm Nom.		
Recommended Land Pattern (C)	1.45mm Nom.		


Electrical Characteristics				
Inductance	6.8µH ±20% at 1MHz			
Rated Current (L Change) [Typ.]	860mA (30% Down)			
Rated Current (L Change) [Max.]	770mA (30% Down)			
Rated Current (Temperature Rise) [Typ.]	1.45A (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	130mΩ			
DC Resistance [Max.]	160mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				


Ot	her
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [180mm Reel]
Images are for reference only and show exemplary products. Package Ouantity I his PDF document was created based on the data listed on the TDK Corporation website	2000pcs
Weight	0.041g


Copyright(c) TDK Corporation. All rights reserved. Downloaded from Arrow.com.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)











VLF302515MT-6R8M






! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$