


## VLF252015MT-2R2M-CA

Applications	Automotive Grade
Feature	Wire Wound Wire Wound
	Shield Magnetic Shield
	Ferrite Core
Series   Type	VLF-M
Status	↑ Obsolete
	Recommended Alternate Part No. : $\underline{\text{VLS5045EX-2R2N-H}} \text{ (Interchangeability is not } \\$
	guaranteed.)
	Discontinue Issue Date : May.18, 2017
	Last Purchase Order Date : Mar.31, 2021
	Last Shipment Date : Sep.30, 2021
Brand	TDK




	Size	
Length(L)	2.50mm ±0.20mm	
Width(W)	2.00mm ±0.20mm	
Thickness   Height	1.50mm Max.	
Recommended Land Pattern (A)	0.75mm Nom.	
Recommended Land Pattern (B)	0.60mm Nom.	
Recommended Land Pattern (C)	1.30mm Nom.	


Electrical Characteristics				
Inductance	2.2µH ±20% at 1MHz			
Rated Current (L Change) [Typ.]	970mA (30% Down)			
Rated Current (L Change) [Max.]	870mA (30% Down)			
Rated Current (Temperature Rise) [Typ.]	2.1A (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	60mΩ			
DC Resistance [Max.]	70mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				


0	ther
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [180mm Reel]
branes are for reference only and show exemplary products.  This PDF document was created based on the data listed on the TDK Corporation websit	2000pcs
Weight weight	0.027g


RoHS Reach Halogen Free Pb Free


## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



<sup>!</sup> Images are for reference only and show exemplary products.


<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free



## **Associated Images**



 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.