CLF12555T-101M RoHS Reach Pb Free

Applications	Commercial Grade		
Feature	Wire Wound Wire Wound		
	Shield Magnetic Shield		
	Ferrite Core		
Series   Type	CLF		
Status	⚠ Obsolete		
	Recommended Alternate Part No. : <u>CLF12555T-101M-D</u> (Interchangeability is not		
	guaranteed.)		
	Discontinue Issue Date : May.18, 2017		
	Last Purchase Order Date : Mar.29, 2019		
	Last Shipment Date : Sep.30, 2019		
Brand	TDK		



	Size
Length(L)	12.50mm ±0.30mm
Width(W)	12.10mm +0.30,-0.20mm
Thickness   Height	5.50mm ±0.35mm
Recommended Land Pattern (A)	2.70mm Nom.
Recommended Land Pattern (B)	8.30mm Nom.
Recommended Land Pattern (C)	3.20mm Nom.

Electrical Characteristics				
Inductance	100μH ±20% at 100kHz			
Rated Current (L Change) [Typ.]	2.1A (10% Down)			
Rated Current (L Change) [Max.]				
Rated Current (Temperature Rise) [Typ.]	1.3A (30°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	190mΩ			
DC Resistance [Max.]	228mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Other				
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C			
Coldavirar Makho d	Reflow			
Soldering Method	Iron Soldering			
AEC-Q200	NO			
Packing	Punched (Paper)Taping [330mm Reel]			
Package Quantity	500pcs			

Weight 3g


<sup>!</sup> Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


 $<sup>! \ \</sup>mbox{All specifications}$  are subject to change without notice.


SMD / SMT Inductors (Coils)


**公TDK** 


## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

## RoHS Reach Pb Free

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




<sup>!</sup> Images are for reference only and show exemplary products.


<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Pb Free

## **Associated Images**





 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.