

SMD / SMT Inductors (Coils)

CLF6045T-680M RoHS Reach Pb Free

Applications	Commercial Grade		
	Wire Wound		
Feature	Shield Magnetic Shield		
	Ferrite Core		
Series Type	CLF		
Status	⚠ Obsolete		
	Recommended Alternate Part No. : <u>CLF6045T-680M-D</u> (Interchangeability is not		
	guaranteed.)		
	Discontinue Issue Date : May.18, 2017		
	Last Purchase Order Date : Mar.29, 2019		
	Last Shipment Date : Sep.30, 2019		
Brand	TDK		



	Size	
Length(L)	6.20mm ±0.20mm	
Width(W)	5.90mm ±0.20mm	
Thickness Height	4.50mm ±0.30mm	
Recommended Land Pattern (A)	1.70mm Nom.	
Recommended Land Pattern (B)	3.60mm Nom.	
Recommended Land Pattern (C)	2.20mm Nom.	

Electrical Characteristics				
Inductance	$68\mu H$ $\pm 20\%$ at $100kHz$			
Rated Current (L Change) [Typ.]	790mA (10% Down)			
Rated Current (L Change) [Max.]				
Rated Current (Temperature Rise) [Typ.]	1A (30°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	215mΩ			
DC Resistance [Max.]	258mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

O ther				
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C			
Coldaring Mathed	Reflow			
Soldering Method	Iron Soldering			
AEC-Q200	NO			
Packing	Punched (Paper)Taping [330mm Reel]			
Package Quantity	1000pcs			

Weight 0.6g


[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


 $^{! \ \}mbox{All specifications}$ are subject to change without notice.


SMD / SMT Inductors (Coils)


公TDK


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)














[!] Images are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.



RoHS Reach Pb Free

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




[!] Images are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

CLF6045T-680M RoHS Reach Pb Free

Associated Images





 $^{!\ \}mbox{Images}$ are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.