RoHS Reach Pb Free



RLF7045T-101MR75-D

Applications	Automotive Grade	
Feature	AEC-Q200 AEC-Q200 Wire Wound Wire Wound Shield Magnetic Shield Ferrite Core	
Series Type	RLF-D	
Status	Production (Not Recommended for New Design) Recommended Alternate Part No. : <u>CLF7045T-101M-D</u> (Interchangeability is not guaranteed.)	
Brand	TDK	





	Size
Length(L)	7.30mm ±0.30mm
Width(W)	6.80mm ±0.20mm
Thickness Height	4.60mm ±0.20mm
Recommended Land Pattern (A)	2.00mm Nom.
Recommended Land Pattern (B)	3.90mm Nom.
Recommended Land Pattern (C)	2.20mm Nom.


Electrical Characteristics				
Inductance	$100\mu H \pm 20\%$ at $100kHz$			
Rated Current (L Change) [Typ.]				
Rated Current (L Change) [Max.]	850mA (30% Down)			
Rated Current (Temperature Rise) [Typ.]	750mA (20°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	360mΩ			
DC Resistance [Max.]	432mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				


	Other
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 150°C
	Reflow
Soldering Method	Iron Soldering
AEC-Q200	YES
Packing	Embossed (Plastic)Taping [330mm Reel]
Package Quantity	1000pcs
I Images are for reference only and show exemplary products. Walgpb F document was created based on the data listed on the TDK Corpora	ation website.0.8g


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Pb Free

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.