

Note: This datasheet may be out of date. Please download the latest datasheet of ECASD60D477M006K00 from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=ECASD60D477M006K00

ECASD60D477M006K00






















Appearance & Shape







References

Packaging	Specifications	Standard Packing Quantity
K	330Embossed Tape	2500

Mass (typ.)	
1 piece	0.2g



Notices

Please use the recommended product

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet

Note: This datasheet may be out of date. $Please\ download\ the\ latest\ data sheet\ of\ ECASD 60D 477M006K00\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=ECASD60D477M006K00

ECASD60D477M006K00



Specifications

Land	7 0 1 0 0 0 0 0 0 0
Length	7.3±0.3mm
Width	4.3±0.2mm
Thickness	2.8±0.3mm
Allowable Ripple Current	3.5Arms
Capacitance	470μF ±20%
ESR	6mΩ
Leakage Current	94.0μΑ
Maximum operating temperature	105°C
Operating Temperature Range	-40°C to 105°C
Rated Voltage	2Vdc
Size code in inch (mm)	2917(7343)
S size	1.3±0.2mm
Capacitance change rate	±20%
W1 size	2.4±0.2mm

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: This datasheet may be out of date.


Please download the latest datasheet of ECASD60D477M006K00 from the official website of Murata Manufacturing Co., Ltd.


ECASD60D477M006K00





Characteristic Data

The charts below may show another part number which shares its characteristics.









ECASD60D477M006K00 C-DC bias capchange, 25.0degC, AC1

ECASD60D477M006K00 C-AC Voltage capchange, DCOV, 25.0

3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.


Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

Product Search Data Sheet


Note: This datasheet may be out of date. Please download the latest datasheet of ECASD60D477M006K00 from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-us/products/productdetail?partno=ECASD60D477M006K00

ECASD60D477M006K00



ECASD60D477M006K00 C-Temp. capchange, DCOV, AC1Vrms



ECASD60D477M006K00 S21 DC0V, 25degC

4 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

