SMD / SMT Inductors (Coils) VLF504015MT-6R8M

Applications	Commercial Grade	
Feature	Wire Wound	
	Shield Magnetic Shield	
	Ferrite Core	
Series Type	VLF-M	
Status	▲ Obsolete	
	Recommended Alternate Part No. : VLS3012HBX-6R8M-N (Interchangeability is not	
	guaranteed.)	
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.31, 2021	
	Last Shipment Date : Sep.30, 2021	
Brand	ТДК	


Size				
Length(L)	5.00mm ±0.30mm			
Width(W)	4.00mm ±0.30mm			
Thickness Height	1.50mm Max.			
Recommended Land Pattern (A)	1.30mm Nom.			
Recommended Land Pattern (B)	1.60mm Nom.			
Recommended Land Pattern (C)	2.20mm Nom.			

Electrical Characteristics					
Inductance	6.8µH ±20% at 1MHz				
Rated Current (L Change) [Typ.]	1.83A (30% Down)				
Rated Current (L Change) [Max.]	1.65A (30% Down)				
Rated Current (Temperature Rise) [Typ.]	2A (40°C Rise)				
Rated Current (Temperature Rise) [Max.]					
DC Resistance [Typ.]	80mΩ				
DC Resistance [Max.]	100mΩ				
Self Resonant Frequency [Min.]					
Self Resonant Frequency [Typ.]					
Q [Min.]					
Q [Typ.]					

Other			
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C		
Soldering Method	Reflow		
AEC-Q200	NO		
Packing	Embossed (Plastic)Taping [180mm Reel]		
Himages are for reference only and show exemplary products. Package Quantity I his PDF document was created based on the data listed on the TDK Corporation websit.	e. 1000pcs		
All specifications are subject to change without notice.	0.114g		

Copyright(c) TDK Corporation. All rights reserved. Downloaded from Arrow.com.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$