SMD / SMT Inductors (Coils)

SPM5012T-2R2M

RoHS Reach Halogen Free Pb Free

Applications	Commercial Grade	
	Wire Wound	
Feature	Shield Magnetic Shield	
	Metal Core Metal Core	
Series Type	SPM	
Status	A EOL announced	Q 20,70
	Recommended Alternate Part No. : <u>SPM5012T-2R2M-LR</u> (Interchangeability is not	6
	guaranteed.)	
	Discontinue Issue Date : Jun.3, 2022	
	Last Purchase Order Date : Sep.30, 2023	
	Last Shipment Date : Mar.31, 2024	
Brand	ток	

Size		
Length(L)	5.40mm ±0.20mm	
Width(W)	5.10mm ±0.20mm	
Thickness Height	1.20mm Max.	
Recommended Land Pattern (A)	1.40mm Nom.	
Recommended Land Pattern (B)	3.00mm Nom.	
Recommended Land Pattern (C)	2.50mm Nom.	

Electrical Characteristics			
Inductance	2.2µH ±20% at 100kHz		
Rated Current (L Change) [Typ.]	6.1A (30% Down)		
Rated Current (L Change) [Max.]	4.6A (30% Down)		
Rated Current (Temperature Rise) [Typ.]	2.7A (40°C Rise)		
Rated Current (Temperature Rise) [Max.]			
DC Resistance [Typ.]	71.6mΩ		
DC Resistance [Max.]	78.8mΩ		
Self Resonant Frequency [Min.]			
Self Resonant Frequency [Typ.]			
Q [Min.]			

Q [Typ.]

Other				
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 125°C			
Coldening Mathed	Reflow			
Soldering Method	Iron Soldering			
AEC-Q200	NO			
Packing	Embossed (Plastic)Taping [180mm Reel, Tape width 12mm]			

! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.


&TDK SMD / SMT Inductors (Coils) SPM5012T-2R2M

RoHS Reach Halogen Free Pb Free

Package Quantity	1000pcs
Weight	0.15g

! Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

RoHS Reach Halogen Free Pb Free

Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.