SMD / SMT Inductors (Coils) VLF403215MT-1R0N-CA

Applications	Automotive Grade	
Feature	Wire Wound Wire Wound	
	Shield Magnetic Shield	
	Ferrite Core	
Series Type	VLF-M	
Status	A Obsolete	
	Recommended Alternate Part No. : <u>VLS5045EX-1R0N-H</u> (Interchangeability is not	
	guaranteed.)	
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.31, 2021	
	Last Shipment Date : Sep.30, 2021	
Brand	TDK	


Size				
Length(L)	4.00mm ±0.20mm			
Width(W)	3.20mm ±0.20mm			
Thickness Height	1.50mm Max.			
Recommended Land Pattern (A)	1.10mm Nom.			
Recommended Land Pattern (B)	1.30mm Nom.			
Recommended Land Pattern (C)	1.80mm Nom.			

Electrical Characteristics					
Inductance	1μ H ±30% at 1MHz				
Rated Current (L Change) [Typ.]	3.34A (30% Down)				
Rated Current (L Change) [Max.]	3.01A (30% Down)				
Rated Current (Temperature Rise) [Typ.]	3.56A (40°C Rise)				
Rated Current (Temperature Rise) [Max.]					
DC Resistance [Typ.]	26mΩ				
DC Resistance [Max.]	31mΩ				
Self Resonant Frequency [Min.]					
Self Resonant Frequency [Typ.]					
Q [Min.]					
Q [Typ.]					

Ot	her
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [180mm Reel]
In ages are for reference only and show exemplary products. Package Outantity I This PDF document was created based on the data listed on the TDK Corporation website	1000pcs
Weight are subject to change without notice.	0.072g

Copyright(c) TDK Corporation. All rights reserved. Downloaded from Arrow.com.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$

RoHS Reach Halogen Free Pb Free

Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$