## SMD / SMT Inductors (Coils) VLF252010MT-4R7M

Applications	Commercial Grade	
Feature	Wire Wound Shield Magnetic Shield Ferrite Core	
Series   Type	VLF-M	
Status	Obsolete Recommended Alternate Part No. : <u>VLS252010HBX-4R7M-1</u> (Interchangeability is not guaranteed.) Discontinue Issue Date : May.18, 2017 Last Purchase Order Date : Mar.31, 2021 Last Shipment Date : Sep.30, 2021	
Brand	ток	


Size		
Length(L)	2.50mm ±0.20mm	
Width(W)	2.00mm ±0.20mm	
Thickness   Height	1.00mm Max.	
Recommended Land Pattern (A)	0.75mm Nom.	
Recommended Land Pattern (B)	0.60mm Nom.	
Recommended Land Pattern (C)	1.30mm Nom.	

Electrical Characteristics				
Inductance	4.7μH ±20% at 1MHz			
Rated Current (L Change) [Typ.]	640mA (30% Down)			
Rated Current (L Change) [Max.]	570mA (30% Down)			
Rated Current (Temperature Rise) [Typ.]	950mA (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	250mΩ			
DC Resistance [Max.]	300mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Ot	her
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [180mm Reel]
Images are for reference only and show exemplary products. Package Ouantity I his PDF document was created based on the data listed on the TDK Corporation website	2000pcs
Weight	0.017g

Copyright(c) TDK Corporation. All rights reserved. Downloaded from Arrow.com.

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

## Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$