

S6AE103A0DGN1B200



Status: **In Production**

Product Specs	Packaging/Ordering	Quality and RoHS	Technical Documents
---------------	--------------------	------------------	---------------------

S6AE103A0DGN1B200	
Automotive Qualified	N
Max. Operating Temp. (°C)	85
Max. Operating Voltage (V)	5.50
Maximum Output Voltage (V)	5.2
Min. Operating Temp. (°C)	-40
Min. Operating Voltage (V)	2.00
Minimum Output Voltage (V)	1.1
Output Channel Number	2
Part Family	Energy Harvesting PMICs
Quiescent Current (µA)	0.28
Series	S6AE10XA
Tape & Reel	Y
Topology	Linear

DESIGN SUPPORT
Development Kits
Forums
Knowledge Base
Packaging
Product Brochures
Quality & Reliability
Samples
Technical Support
Technical Training
Third Party Network (CYPros)

Availability	Quantity	Ships In	Buy from Cypress	Buy from Distributors
Out of Stock	0	Please click here to check lead times	Contact Sales	Buy

* Prices are shown in United States dollars and are for budgetary use only for volume of 1ku

TRAINING
Workshops
Training On-Demand
Webinars

PACKAGING/ORDERING	
--------------------	--

No. of Pins	24
Package Cross Section Drawing	Download
Package Carrier	REEL
Package Carrier Drawing / Orientation	Package Orientation
Standard Pack Quantity	1
Minimum Order Quantity (MOQ)	200
Order Increment	200
Estimated Lead Time (days)	133
HTS Code	8542.31.0001
ECCN Suball	EAR99

QUALITY AND ROHS	
------------------	--

Moisture Sensitivity Level (MSL)	3
Peak Reflow Temp. (°C)	260 (Cypress Reflow Profile)
RoHS Compliant	Y Print RoHS Certificate of Compliance
PB Free	Y
Lead/Ball Finish	Pd
Marking	Cypress Marking Format

Device Qualification Reports

FIT/MTBF, ESD (HBM/CDM) and Latch-up data available in the Device Qualification Report.

TECHNICAL DOCUMENTS

Application Notes (2)

AN210772 - Energy Calculation for Energy Harvesting with S6AE101A, S6AE102A, and S6AE103A Sep 26, 2017

AN213948 - Basic Concepts for Energy Delivery with S6AE101A, S6AE102A, and S6AE103A Sep 26, 2017

SOLUTIONS

Automotive
Industrial
Consumer

PRODUCTS

Wireless
Microcontrollers (MCUs)
Memory
Universal Serial Bus (USB)
Power Management
Touch Sensing
Clocks & Buffers

DESIGN SUPPORT

Community
Videos
Quality & Reliability
Product Roadmaps

ABOUT US

Investors
Careers

CORPORATE HEADQUARTERS

Cypress Semiconductor Corp.
198 Champion Court
San Jose, CA 95134 USA
Tel: +1-408-943-2600

CUSTOMER SERVICE SUPPORT

+1-800-541-4736
Hours:
8:00AM - 5:00PM (local time)
Create a MyCase

INTERNATIONAL SUPPORT

+1-408-943-2600
United States +1-800-541-4736
Hours:
4:30AM - 1:30PM (pacific time)
7:30PM - 4:30AM (standard time)

OTHER REQUESTS

Contact Us
Report a Website Problem

ABOUT US

CAREERS

INVESTORS



Feedback



By using Cypress website you consent to our use of cookies, which we use to track your use of the websites to improve your user experience. By closing this banner or clicking on any element thereof, you provide your consent to the use of the cookies.

Accept and Close

Read Our Cookie Policy