SMD / SMT Inductors (Coils) VLF252015MT-150M-CA

Applications	Automotive Grade
Feature	Wire Wound Wire Wound
	Shield Magnetic Shield
	Ferrite Core
Series Type	VLF-M
Status	A Obsolete
	Recommended Alternate Part No. : <u>VLS5045EX-150M-H</u> (Interchangeability is not
	guaranteed.)
	Discontinue Issue Date : May.18, 2017
	Last Purchase Order Date : Mar.31, 2021
	Last Shipment Date : Sep.30, 2021
Brand	ток


Size		
Length(L)	2.50mm ±0.20mm	
Width(W)	2.00mm ±0.20mm	
Thickness Height	1.50mm Max.	
Recommended Land Pattern (A)	0.75mm Nom.	
Recommended Land Pattern (B)	0.60mm Nom.	
Recommended Land Pattern (C)	1.30mm Nom.	

Electrical Characteristics				
Inductance	15µH ±20% at 1MHz			
Rated Current (L Change) [Typ.]	370mA (30% Down)			
Rated Current (L Change) [Max.]	340mA (30% Down)			
Rated Current (Temperature Rise) [Typ.]	770mA (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	370mΩ			
DC Resistance [Max.]	450mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Other			
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C		
Soldering Method	Reflow		
AEC-Q200	NO		
Packing	Embossed (Plastic)Taping [180mm Reel]		
Unages are for reference only and show exemplary products. Package Outantity I This PDF document was created based on the data listed on the TDK Corporation website	2000pcs		
Weight are subject to change without notice.	0.027g		

Copyright(c) TDK Corporation. All rights reserved. Downloaded from Arrow.com.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$