RLF7030T-4R7M3R4-T

RoHS Reach Pb Free

Applications	Automotive Grade
Feature	AEC-Q200 AEC-Q200 Wire Wound
	Shield Magnetic Shield
	Ferrite Core Ferrite Core
Series Type	RLF-T
Status	⚠ EOL announced
	Recommended Alternate Part No. : <u>CLF7045NIT-4R7N-D</u> (Interchangeability is not
	guaranteed.)
	Discontinue Issue Date : May.28, 2020
	Last Purchase Order Date : Mar.31, 2022
	Last Shipment Date : Sep.30, 2022
Brand	TDK



Size		
Length(L)	7.30mm Max.	
Width(W)	6.80mm ±0.10mm	
Thickness Height	3.20mm Max.	
Recommended Land Pattern (A)	2.00mm Nom.	
Recommended Land Pattern (B)	3.90mm Nom.	
Recommended Land Pattern (C)	2.20mm Nom.	

Electrical Characteristics			
Inductance	$4.7 \mu H \pm 20\%$ at $100 kHz$		
Rated Current (L Change) [Typ.]			
Rated Current (L Change) [Max.]	3.5A (30% Down)		
Rated Current (Temperature Rise) [Typ.]			
Rated Current (Temperature Rise) [Max.]	3.4A (40°C Rise)		
DC Resistance [Typ.]	26mΩ		
DC Resistance [Max.]	31.2mΩ		
Self Resonant Frequency [Min.]			
Self Resonant Frequency [Typ.]			
Q [Min.]			
Q [Typ.]			


	Other	
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 125°C	
Soldering Method	Reflow	
	Iron Soldering	
AEC-Q200	YES	
Packing	Embossed (Plastic)Taping [330mm Reel]	


Package Quantity 1000pcs Weight 0.65g


[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


 $^{! \ \}mbox{All specifications}$ are subject to change without notice.


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Pb Free

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




[!] Images are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Pb Free

Associated Images





 $^{!\ \}mbox{Images}$ are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.