

Applications	Commercial Grade		
Feature	Wire Wound		
	Shield Magnetic Shield		
	Ferrite Core Ferrite Core		
Series Type	VLF-M		
Status	↑ Obsolete		
	Recommended Alternate Part No. : <u>VLS3012HBX-100M-N</u> (Interchangeability is not		
	guaranteed.)		
	Discontinue Issue Date : May.18, 2017		
	Last Purchase Order Date : Mar.31, 2021		
	Last Shipment Date : Sep.30, 2021		
Brand	TDK		





	Size	
Length(L)	3.00mm ±0.20mm	
Width(W)	2.50mm ±0.20mm	
Thickness Height	1.00mm Max.	
Recommended Land Pattern (A)	0.90mm Nom.	
Recommended Land Pattern (B)	0.80mm Nom.	
Recommended Land Pattern (C)	1.45mm Nom.	


Electrical Characteristics				
Inductance	10μH ±20% at 1MHz			
Rated Current (L Change) [Typ.]	650mA (30% Down)			
Rated Current (L Change) [Max.]	590mA (30% Down)			
Rated Current (Temperature Rise) [Typ.]	730mA (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	310mΩ			
DC Resistance [Max.]	372mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Ot	her
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [180mm Reel]
Images are for reference only and show exemplary products. ! This PDF duantity!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	2000pcs
Weight	0.026g


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.



Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.



Associated Images



 $^{!\ \}mbox{Images}$ are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.