

| | |
|----------------------|--|
| Applications | Commercial Grade |
| Feature | <div style="border: 1px solid red; padding: 2px; display: inline-block;">Wire Wound</div> Wire Wound <div style="border: 1px solid green; padding: 2px; display: inline-block;">Shield</div> Magnetic Shield <div style="border: 1px solid gray; padding: 2px; display: inline-block;">Ferrite Core</div> Ferrite Core |
| Series Type | VLS-E |
| Status | Production (Not Recommended for New Design) Recommended Alternate Part No. : VLS252010CX-100M-1 (Interchangeability is not guaranteed.) |
| Brand | TDK |









| Size | |
|------------------------------|----------------|
| Length(L) | 2.50mm ±0.10mm |
| Width(W) | 2.00mm ±0.10mm |
| Thickness Height | 1.50mm Max. |
| Recommended Land Pattern (A) | 0.85mm Nom. |
| Recommended Land Pattern (B) | 0.80mm Nom. |
| Recommended Land Pattern (C) | 2.00mm Nom. |

| Electrical Characteristics | |
|---|-------------------|
| Inductance | 10µH ±20% at 1MHz |
| Rated Current (L Change) [Typ.] | 800mA (30% Down) |
| Rated Current (L Change) [Max.] | 720mA (30% Down) |
| Rated Current (Temperature Rise) [Typ.] | 660mA (40°C Rise) |
| Rated Current (Temperature Rise) [Max.] | |
| DC Resistance [Typ.] | 490mΩ |
| DC Resistance [Max.] | 588mΩ |
| Self Resonant Frequency [Min.] | |
| Self Resonant Frequency [Typ.] | |
| Q [Min.] | |
| Q [Typ.] | |

| Other | |
|---|---------------------------------------|
| Operating Temp. Range (Including Self-Temp. Rise) | -40 to 105°C |
| Soldering Method | Reflow |
| AEC-Q200 | NO |
| Packing | Embossed (Plastic)Taping [180mm Reel] |
| Package Quantity | 2000pcs |
| Weight | 0.028g |


! Images are for reference only and show exemplary products.
 ! This PDF document was created based on the data listed on the TDK Corporation website.
 ! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

Associated Images

