SMD / SMT Inductors (Coils) VLF504010MT-1R5N

Applications	Commercial Grade	
Feature	Wire Wound Shield Magnetic Shield	
	Ferrite Core	
Series Type	VLF-M	
Status	A Obsolete	
	Recommended Alternate Part No. : <u>VLS3012HBX-1R5M-N</u> (Interchangeability is not	
	guaranteed.)	
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.31, 2021	
	Last Shipment Date : Sep.30, 2021	
Brand	ток	


Size		
Length(L)	5.00mm ±0.30mm	
Width(W)	4.00mm ±0.30mm	
Thickness Height	1.00mm Max.	
Recommended Land Pattern (A)	1.30mm Nom.	
Recommended Land Pattern (B)	1.60mm Nom.	
Recommended Land Pattern (C)	2.20mm Nom.	

Electrical Characteristics				
Inductance	1.5µH ±30% at 1MHz			
Rated Current (L Change) [Typ.]	2.56A (30% Down)			
Rated Current (L Change) [Max.]	2.3A (30% Down)			
Rated Current (Temperature Rise) [Typ.]	2.86A (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	37mΩ			
DC Resistance [Max.]	44mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Ot	ther
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [180mm Reel]
Himages are for reference only and show exemplary products. Package Quantity I his PDF document was created based on the data listed on the TDK Corporation website	1000pcs
Weight are subject to change without notice.	0.073g

Copyright(c) TDK Corporation. All rights reserved. Downloaded from Arrow.com.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice}.$