


VLF302512MT-100M RoHS Reach Halogen Free Pb Free

Applications	Commercial Grade
Feature	Wire Wound
	Shield Magnetic Shield
	Ferrite Core
Series Type	VLF-M
Status	⚠ Obsolete
	Recommended Alternate Part No. : <u>VLS3012HBX-100M-N</u> (Interchangeability is not
	guaranteed.)
	Discontinue Issue Date : May.18, 2017
	Last Purchase Order Date : Mar.31, 2021
	Last Shipment Date : Sep.30, 2021
Brand	TDK



Size		
Length(L)	3.00mm ±0.20mm	
Width(W)	2.50mm ±0.20mm	
Thickness Height	1.20mm Max.	
Recommended Land Pattern (A)	0.90mm Nom.	
Recommended Land Pattern (B)	0.80mm Nom.	
Recommended Land Pattern (C)	1.45mm Nom.	

Electrical Characteristics				
Inductance	10μH ±20% at 1MHz			
Rated Current (L Change) [Typ.]	690mA (30% Down)			
Rated Current (L Change) [Max.]	620mA (30% Down)			
Rated Current (Temperature Rise) [Typ.]	950mA (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	249mΩ			
DC Resistance [Max.]	299mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Other			
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C		
Soldering Method	Reflow		
AEC-Q200	NO		
Packing	Embossed (Plastic)Taping [180mm Reel]		

[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{! \ \}mbox{All specifications}$ are subject to change without notice.



2 of 5 Creation Date : October 12, 2022 (GMT)


RoHS Reach Halogen Free Pb Free


Package Quantity	2000pcs
Weight	0.033g


[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


 $^{! \ \}mbox{All specifications}$ are subject to change without notice.


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



[!] Images are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{! \ \}mbox{All specifications}$ are subject to change without notice.



VLF302512MT-100M RoHS Reach Halogen Free Pb Free

Associated Images



 $^{!\ \}mbox{lmages}$ are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{! \ \}mbox{All specifications}$ are subject to change without notice.