

VLF252015MT-1R0N RoHS Reach Halogen Free Pb Free

Applications	Commercial Grade	
	Wire Wound	
Feature	Shield Magnetic Shield	
	Ferrite Core	
Series Type	VLF-M	
Status	⚠ Obsolete	
	Recommended Alternate Part No. : <u>VLS252012HBX-1R0M-1</u> (Interchangeability is	
	not guaranteed.)	
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.31, 2021	
	Last Shipment Date : Sep.30, 2021	
Brand	TDK	



Size		
Length(L)	2.50mm ±0.20mm	
Width(W)	2.00mm ±0.20mm	
Thickness Height	1.50mm Max.	
Recommended Land Pattern (A)	0.75mm Nom.	
Recommended Land Pattern (B)	0.60mm Nom.	
Recommended Land Pattern (C)	1.30mm Nom.	

Electrical Characteristics				
Inductance	1µH ±30% at 1MHz			
Rated Current (L Change) [Typ.]	1.49A (30% Down)			
Rated Current (L Change) [Max.]	1.34A (30% Down)			
Rated Current (Temperature Rise) [Typ.]	3.13A (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	25mΩ			
DC Resistance [Max.]	30mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Other			
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C		
Soldering Method	Reflow		
AEC-Q200	NO		
Packing	Embossed (Plastic)Taping [180mm Reel]		

[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{! \ \}mbox{All specifications}$ are subject to change without notice.



2 of 5 Creation Date : October 12, 2022 (GMT)

RoHS Reach Halogen Free Pb Free


Package Quantity	2000pcs
Weight	0.027g


[!] Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


 $^{! \ \}mbox{All specifications}$ are subject to change without notice.


RoHS Reach Halogen Free Pb Free


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{! \ \}mbox{All specifications}$ are subject to change without notice.

VLF252015MT-1R0N RoHS Reach Halogen Free Pb Free

Associated Images



 $^{!\ \}mbox{lmages}$ are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

 $^{! \ \}mbox{All specifications}$ are subject to change without notice.