Applications	Automotive Grade	
Feature	AEC-Q200 AEC-Q200	
	Wire Wound	
	Shield Magnetic Shield	
	Ferrite Core	
Series   Type	CLF-CA	
Status	⚠ Obsolete	
	Recommended Alternate Part No. : <u>CLF12555T-6R8N-D</u> (Interchangeability is not	
	guaranteed.)	
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.29, 2019	
	Last Shipment Date : Sep.30, 2019	
Brand	TDK	



Size		
Length(L)	12.50mm ±0.30mm	
Width(W)	12.10mm +0.30,-0.20mm	
Thickness   Height	5.50mm ±0.35mm	
Recommended Land Pattern (A)	2.70mm Nom.	
Recommended Land Pattern (B)	8.30mm Nom.	
Recommended Land Pattern (C)	3.20mm Nom.	

Electrical Characteristics			
Inductance	6.8µH ±30% at 100kHz		
Rated Current (L Change) [Typ.]	8A (10% Down)		
Rated Current (L Change) [Max.]			
Rated Current (Temperature Rise) [Typ.]	4.7A (30°C Rise)		
Rated Current (Temperature Rise) [Max.]			
DC Resistance [Typ.]	15mΩ		
DC Resistance [Max.]	19.5mΩ		
Self Resonant Frequency [Min.]			
Self Resonant Frequency [Typ.]			
Q [Min.]			
Q [Typ.]			


Other				
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C			
Coldaring Mathad	Reflow			
Soldering Method	Iron Soldering			
AEC-Q200	YES			
Packing	Punched (Paper)Taping [330mm Reel]			


Package Quantity 500pcs Weight 3g


<sup>!</sup> Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


 $<sup>! \ \</sup>mbox{All specifications}$  are subject to change without notice.


## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)





<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

## **Associated Images**





 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.