

RoHS Reach Halogen Free Pb Free

| Applications | Commercial Grade |
|---------------|------------------------------------|
| Feature | Multilayer Shield Magnetic Shield |
| | Ferrite Core |
| Series Type | MLF |
| Status | Production |
| Brand | TDK |



| | Size |
|------------------------------|----------------|
| Length(L) | 1.60mm ±0.15mm |
| Width(W) | 0.80mm ±0.15mm |
| Thickness Height | 0.80mm ±0.15mm |
| Recommended Land Pattern (A) | 0.60mm Nom. |
| Recommended Land Pattern (B) | 0.80mm Nom. |
| Recommended Land Pattern (C) | 0.80mm Nom. |

| Electrical Characteristics | | | |
|---|--------------------|--|--|
| Inductance | 4.7μH ±5% at 10MHz | | |
| Rated Current (L Change) [Typ.] | | | |
| Rated Current (L Change) [Max.] | 30mA | | |
| Rated Current (Temperature Rise) [Typ.] | | | |
| Rated Current (Temperature Rise) [Max.] | | | |
| DC Resistance [Typ.] | 750mΩ | | |
| DC Resistance [Max.] | 1.6Ω | | |
| Self Resonant Frequency [Min.] | 55MHz | | |
| Self Resonant Frequency [Typ.] | 80MHz | | |
| Q [Min.] | 35 at 10MHz | | |
| Q [Typ.] | 60 at 10MHz | | |


| Other | | |
|---|------------------------------------|--|
| Operating Temp. Range (Including Self-Temp. Rise) | -55 to 125°C | |
| Coldarina Mathad | Reflow | |
| Soldering Method | Iron Soldering | |
| AEC-Q200 | NO | |
| Packing | Punched (Paper)Taping [180mm Reel] | |
| Package Quantity | 4000pcs | |
| Weight | 0.004g | |


 $^{!\ \}mbox{Images}$ are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.


[!] All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)










 $^{!\ \}mbox{lmages}$ are for reference only and show exemplary products.


[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

Associated Images





 $^{!\ \}mbox{Images}$ are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.