

### VLF4012ST-6R8MR80

RoHS Reach Halogen Free Pb Free

Applications	Commercial Grade
	Wire Wound
Feature	Shield Magnetic Shield
	Ferrite Core
Series   Type	VLF
Status	↑ Obsolete
	Recommended Alternate Part No. : <u>VLS4012CX-6R8M-1</u> (Interchangeability is not
	guaranteed.)
	Discontinue Issue Date : May.18, 2017
	Last Purchase Order Date : Mar.29, 2019
	Last Shipment Date : Sep.30, 2019
Brand	TDK




	Size	
Length(L)	3.80mm Nom.	
Width(W)	3.60mm Nom.	
Thickness   Height	1.20mm Max.	
Recommended Land Pattern (A)	0.90mm Nom.	
Recommended Land Pattern (B)	2.90mm Nom.	
Recommended Land Pattern (C)	1.30mm Nom.	


Electrical Characteristics			
Inductance	6.8µH ±20% at 1MHz		
Rated Current (L Change) [Typ.]			
Rated Current (L Change) [Max.]	1A (30% Down)		
Rated Current (Temperature Rise) [Typ.]	800mA (40°C Rise)		
Rated Current (Temperature Rise) [Max.]			
DC Resistance [Typ.]	270mΩ		
DC Resistance [Max.]	320mΩ		
Self Resonant Frequency [Min.]			
Self Resonant Frequency [Typ.]			
Q [Min.]			
Q [Typ.]			


Ot	her
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [180mm Reel]
lmages are for reference only and show exemplary products. Package Odmitiv ! Inis PDF document was created based on the data listed on the TDK Corporation website	1000pcs
weight	0.05g


RoHS Reach Halogen Free Pb Free


## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

# Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



<sup>!</sup> Images are for reference only and show exemplary products.


<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free



# **Associated Images**



 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.