CLF6045T-6R8N RoHS Reach Pb Free

Applications	Commercial Grade		
Feature	Wire Wound Wire Wound		
	Shield Magnetic Shield		
	Ferrite Core		
Series   Type	CLF		
Status	⚠ Obsolete		
	Recommended Alternate Part No. : <u>CLF6045T-6R8N-D</u> (Interchangeability is not		
	guaranteed.)		
	Discontinue Issue Date : May.18, 2017		
	Last Purchase Order Date : Mar.29, 2019		
	Last Shipment Date : Sep.30, 2019		
Brand	TDK		



	Size	
Length(L)	6.20mm ±0.20mm	
Width(W)	5.90mm ±0.20mm	
Thickness   Height	4.50mm ±0.30mm	
Recommended Land Pattern (A)	1.70mm Nom.	
Recommended Land Pattern (B)	3.60mm Nom.	
Recommended Land Pattern (C)	2.20mm Nom.	

	Electrical Characteristics	
Inductance	$6.8 \mu H \pm 30\%$ at $100 kHz$	
Rated Current (L Change) [Typ.]	2.2A (10% Down)	
Rated Current (L Change) [Max.]		
Rated Current (Temperature Rise) [Typ.]	2.9A (30°C Rise)	
Rated Current (Temperature Rise) [Max.]		
DC Resistance [Typ.]	27mΩ	
DC Resistance [Max.]	35.1mΩ	
Self Resonant Frequency [Min.]		
Self Resonant Frequency [Typ.]		
Q [Min.]		
Q [Typ.]		

Other				
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C			
Coldaring Mathad	Reflow			
Soldering Method	Iron Soldering			
AEC-Q200	NO			
Packing	Punched (Paper)Taping [330mm Reel]			
Package Quantity	1000pcs			


Weight 0.6g


<sup>!</sup> Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


 $<sup>! \ \</sup>mbox{All specifications}$  are subject to change without notice.


RoHS Reach Pb Free


## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

## RoHS Reach Pb Free

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.





**&TDK** 

RoHS Reach Pb Free

## **Associated Images**

SMD / SMT Inductors (Coils)





 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.