

Home > Products > Memory > Nonvolatile RAM > [F-RAM and nvSRAM Wafer and Die Support](#) > FM28V202A-WAF

FM28V202A-WAF

Status: In Production

Pricing & Inventory Availability

Packaging/Ordering

Quality and RoHS

FM28V202A-WAF

| | |
|----------------------------|------------|
| Development Kit | No |
| Density (Kb) | 2048 |
| Frequency (MHz) | N/A |
| Max. Operating Temp. (°C) | 0 |
| Max. Operating VCCQ (V) | 3.60 |
| Max. Operating Voltage (V) | 3.60 |
| Min. Operating Temp. (°C) | 0 |
| Min. Operating VCCQ (V) | 2.00 |
| Min. Operating Voltage (V) | 2.00 |
| Organization (X x Y) | 128Kb x 16 |
| Speed (ns) | 0 |
| Temp. Classification | N/A |

PRICING & INVENTORY AVAILABILITY

| 1-9 unit Price* | 10-24 unit Price* | 25-99 unit Price* | 100-249 unit Price* | 250-999 unit Price* | 1000+ unit Price* |
|-------------------------------|----------------------|----------------------|------------------------|------------------------|----------------------|
| Contact Sales | | | | | |

| Availability | Quantity | Ships In | Order Now |
|--------------|----------|---|--------------------------------------|
| Out of Stock | 0 | Please click here to check lead times | Check Distributors** |

* Prices are shown in United States dollars and are for budgetary use only for volume of 1ku

** **Check Distributors:** This part is sold through distributors only.

PACKAGING/ORDERING

| | |
|---------------------------------------|-------------------------------------|
| No. of Pins | 0 |
| Package Cross Section Drawing | Download |
| Package Carrier | Bulk |
| Package Carrier Drawing / Orientation | Package Orientation |
| Estimated Lead Time (days) | 42 |
| HTS Code | 8542.90.0000 |
| ECCN | None |
| ECCN Suball | EAR99 |

QUALITY AND ROHS

| | |
|----------------------------------|--|
| Moisture Sensitivity Level (MSL) | |
| Peak Reflow Temp. (°C) | 260 (Cypress Reflow Profile) |
| RoHS Compliant | N Print RoHS Certificate of Compliance |

DESIGN SUPPORT

[Development Kits](#)
[Forums](#)
[Knowledge Base](#)
[Packaging](#)
[Product Brochures](#)
[Quality & Reliability](#)
[Samples](#)
[Technical Support](#)
[Technical Training](#)
[Third Party Network \(CYPros\)](#)

TRAINING

[Workshops](#)
[Training On-Demand](#)
[Webinars](#)

| | |
|---|------------------------|
| Lead/Ball Finish | N/A |
| Marking | Cypress Marking Format |
| Device Qualification Reports FIT/MTBF, ESD (HBM/CDM) and Latch-up data available in the Device Qualification Report. QTP #133705:1MB AND 2MB F-RAM MEMORY PRODUCT QUALIFICATION <i>Last Update: Jun 27, 2015</i> | |

Products

Wireless Connectivity
 WICED Wi-Fi
 Bluetooth Low Energy
 32-bit ARM® Cortex® MCUs
 Programmable System-on-Chip
 Universal Serial Bus (USB)
 Memory
 Touch Sensing
 Power Management ICs
 Clocks & Buffers

Applications

Internet of Things (IoT)
 Aerospace & Defense
 Automotive Solutions
 Home Appliance
 Medical
 Consumer Electronics
 Communication & Telecom
 Industrial
 Wireless
 Reference Designs

Design Support

Cypress Developer Community
 WICED IoT Community
 Knowledge Base
 Workshops
 Video
 Development Kits/Boards
 Quality & Reliability
 RoHS & Green
 Design Partner Program
 WICED IoT Partners
 Product Roadmaps

Buy & Sample

Request Samples
 Buy Devices & Dev. Kits

About Us

Investors
 Careers

Contact Us

Corporate Headquarters:
 Cypress Semiconductor
 198 Champion Court
 San Jose, CA 95134 USA
 Tel: +1-408-943-2600

Customer Service Support:
 +1-800-541-4736
 Hours:
 8:00AM - 5:00PM (local time)
[Create a MyCase](#)

International Support:
 +1-408-943-2600
 United States +1-800-541-4736
 Hours:
 4:30AM - 1:30PM (pacific time)
 7:30PM - 4:30AM (standard time)

Other Requests:
[🔄 Contact Us](#)
[✉ Customer Care](#)
[✉ Report a Website Problem](#)

[PRODUCTS](#) · [APPLICATIONS](#) · [DESIGN SUPPORT](#) · [BUY & SAMPLES](#) · [ABOUT](#) · [COMMUNITY](#) · [INVESTORS](#)



© Cypress Semiconductor Corporation. All rights reserved.