Applications	Automotive Grade
Feature	AEC-Q200 AEC-Q200 Wire Wound
	Shield Magnetic Shield  Ferrite Core Ferrite Core
Series   Type	SLF-H
Status	Production
Brand	TDK



Size		
Length(L)	10.10mm ±0.30mm	
Width(W)	10.10mm ±0.30mm	
Thickness   Height	4.50mm ±0.30mm	
Recommended Land Pattern (A)	2.50mm Nom.	
Recommended Land Pattern (B)	5.60mm Nom.	
Recommended Land Pattern (C)	3.20mm Nom.	


Electrical Characteristics			
Inductance	470μH ±20% at 1kHz		
Rated Current (L Change) [Typ.]			
Rated Current (L Change) [Max.]	470mA (10% Down)		
Rated Current (Temperature Rise) [Typ.]	470mA (30°C Rise)		
Rated Current (Temperature Rise) [Max.]			
DC Resistance [Typ.]	1.03Ω		
DC Resistance [Max.]	1.236Ω		
Self Resonant Frequency [Min.]			
Self Resonant Frequency [Typ.]			
Q [Min.]			
Q [Typ.]			


Other		
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 125°C	
Coldaring Mathad	Reflow	
Soldering Method	Iron Soldering	
AEC-Q200	YES	
Packing	Embossed (Plastic)Taping [330mm Reel, Tape width 24mm]	
Package Quantity	500pcs	
Weight	1.3g	


<sup>!</sup> Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.


<sup>!</sup> All specifications are subject to change without notice.


## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)





<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

## **Associated Images**





 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.