SMD / SMT Inductors (Coils) VLP8040T-3R3N

Applications	Commercial Grade	
	Wire Wound Wire Wound	
Feature	Shield Magnetic Shield	
	Ferrite Core	Wm
Series Type	VLP	to r
	A Obsolete	AR .
	Recommended Alternate Part No. : <u>VLS6045EX-3R3N</u> (Interchangeability is not	
Status	guaranteed.)	190
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.29, 2019	
	Last Shipment Date : Sep.30, 2019	
Brand	ТДК	


	Size
Length(L)	8.60mm Max.
Width(W)	8.70mm Max.
Thickness Height	4.00mm Max.
Recommended Land Pattern (A)	3.30mm Nom.
Recommended Land Pattern (B)	1.40mm Nom.
Recommended Land Pattern (C)	8.20mm Nom.

Electrical Characteristics				
Inductance	3.3µH ±30% at 100kHz			
Rated Current (L Change) [Typ.]				
Rated Current (L Change) [Max.]	5.2A (30% Down)			
Rated Current (Temperature Rise) [Typ.]	5.2A (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	15mΩ			
DC Resistance [Max.]	20mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

01	ther
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [330mm Reel]
Umages are for reference only and show exemplary products. Package Quantity I This PDF document was created based on the data listed on the TDK Corporation websit:	
Weight	0.84g

Copyright(c) TDK Corporation. All rights reserved. Downloaded from Arrow.com.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

RoHS Reach Halogen Free Pb Free

Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice.}$