SMD / SMT Inductors (Coils) VLF10040T-330M2R1

Applications	Commercial Grade	
Feature	Wire Wound Shield Magnetic Shield	
	Ferrite Core	251
Series Type	VLF	2 A
Status	Obsolete	Ka SOM
	Recommended Alternate Part No. : <u>CLF10040T-330M-D</u> (Interchangeability is not	
	guaranteed.)	
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.29, 2019	
	Last Shipment Date : Sep.30, 2019	
Brand	трк	


	Size
Length(L)	10.00mm Nom.
Width(W)	9.70mm Nom.
Thickness Height	4.00mm Max.
Recommended Land Pattern (A)	1.70mm Nom.
Recommended Land Pattern (B)	7.30mm Nom.
Recommended Land Pattern (C)	3.60mm Nom.

Electrical Characteristics				
Inductance	33µH ±20% at 100kHz			
Rated Current (L Change) [Typ.]				
Rated Current (L Change) [Max.]	2.1A (30% Down)			
Rated Current (Temperature Rise) [Typ.]	2.2A (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	80mΩ			
DC Resistance [Max.]	93mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

01	ther
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [330mm Reel]
Images are for reference only and show exemplary products. Package Quantity I This PDF document was created based on the data listed on the TDK Corporation website	500pcs
Weight are subject to change without notice.	1.27g

Copyright(c) TDK Corporation. All rights reserved. Downloaded from Arrow.com.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice.}$

RoHS Reach Pb Free

Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

 $! \ \mbox{All specifications} \ \mbox{are subject to change without notice.}$