


Applications	Commercial Grade
Feature	<div style="border: 1px solid red; padding: 2px; display: inline-block;">Wire Wound</div> Wire Wound <div style="border: 1px solid green; padding: 2px; display: inline-block;">Shield</div> Magnetic Shield <div style="border: 1px solid gray; padding: 2px; display: inline-block;">Ferrite Core</div> Ferrite Core
Series Type	VLF-M
Status	<div style="border: 1px solid red; padding: 2px; display: inline-block;"> Obsolete</div> Recommended Alternate Part No. : VLS252012HBX-R47M-1 (Interchangeability is not guaranteed.) Discontinue Issue Date : May.18, 2017 Last Purchase Order Date : Mar.31, 2021 Last Shipment Date : Sep.30, 2021
Brand	TDK









Size	
Length(L)	2.50mm ±0.20mm
Width(W)	2.00mm ±0.20mm
Thickness Height	1.50mm Max.
Recommended Land Pattern (A)	0.75mm Nom.
Recommended Land Pattern (B)	0.60mm Nom.
Recommended Land Pattern (C)	1.30mm Nom.

Electrical Characteristics	
Inductance	470nH ±30% at 1MHz
Rated Current (L Change) [Typ.]	2.06A (30% Down)
Rated Current (L Change) [Max.]	1.85A (30% Down)
Rated Current (Temperature Rise) [Typ.]	4.03A (40°C Rise)
Rated Current (Temperature Rise) [Max.]	
DC Resistance [Typ.]	13mΩ
DC Resistance [Max.]	16mΩ
Self Resonant Frequency [Min.]	
Self Resonant Frequency [Typ.]	
Q [Min.]	
Q [Typ.]	

Other	
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C
Soldering Method	Reflow
AEC-Q200	NO
Packing	Embossed (Plastic)Taping [180mm Reel]
Package Quantity	2000pcs
Weight	0.027g


Images are for reference only and show exemplary products.
 This PDF document was created based on the data listed on the TDK Corporation website.
 All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

Associated Images

