## SMD / SMT Inductors (Coils) VLS2012ET-R47N-CA

Applications	Automotive Grade	
Feature	Wire Wound Shield Magnetic Shield	
	Ferrite Core	
Series   Type	VLS-E	
	Production (Not Recommended for New Design)	
Status	Recommended Alternate Part No. : <u>TFM201610ALMAR47MTAA</u> (Interchangeability is	
	not guaranteed.)	
Brand	ТДК	

Size		
Length(L)	2.00mm ±0.10mm	
Width(W)	2.00mm ±0.10mm	
Thickness   Height	1.20mm Max.	
Recommended Land Pattern (A)	0.65mm Nom.	
Recommended Land Pattern (B)	0.70mm Nom.	
Recommended Land Pattern (C)	2.00mm Nom.	


Electrical Characteristics				
Inductance	470nH ±30% at 1MHz			
Rated Current (L Change) [Typ.]	2.25A (30% Down)			
Rated Current (L Change) [Max.]	2.05A (30% Down)			
Rated Current (Temperature Rise) [Typ.]	2A (40°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	49mΩ			
DC Resistance [Max.]	59mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Other			
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C		
Soldering Method	Reflow		
AEC-Q200	NO		
Packing	Embossed (Plastic)Taping [180mm Reel]		
Package Quantity	2000pcs		
Weight	0.017g		

! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.


## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.

## Associated Images



! Images are for reference only and show exemplary products.

! This PDF document was created based on the data listed on the TDK Corporation website.