RoHS Reach Pb Free

CLF7045T-221M-D

Applications	Automotive Grade	
Feature	AEC-Q200 AEC-Q200	
	Wire Wound Shield Magnetic Shield	
	Ferrite Core	
Series   Type	CLF-D	
Status	Production	
Brand	TDK	



Size		
Length(L)	7.20mm ±0.20mm	
Width(W)	6.90mm ±0.20mm	
Thickness   Height	4.50mm ±0.30mm	
Recommended Land Pattern (A)	2.00mm Nom.	
Recommended Land Pattern (B)	3.90mm Nom.	
Recommended Land Pattern (C)	2.20mm Nom.	

Electrical Characteristics				
Inductance	220µH ±20% at 100kHz			
Rated Current (L Change) [Typ.]	620mA (10% Down)			
Rated Current (L Change) [Max.]				
Rated Current (Temperature Rise) [Typ.]	520mA (30°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	660mΩ			
DC Resistance [Max.]	792mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Other			
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 150°C		
Coldaring Mathad	Reflow		
Soldering Method	Iron Soldering		
AEC-Q200	YES		
Packing	Punched (Paper)Taping [330mm Reel]		
Package Quantity	1000pcs		
Weight	0.8g		


<sup>!</sup> Images are for reference only and show exemplary products.


<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.


<sup>!</sup> All specifications are subject to change without notice.





## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Pb Free

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




<sup>!</sup> Images are for reference only and show exemplary products.


<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Pb Free

## **Associated Images**





 $<sup>!\ \</sup>mbox{Images}$  are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.