



EVAL-ADP-I2C-USB

USB to I²C Interface Connector

Overview

Buy

Applicable Parts

- [ADP1043A](#)
- [ADP1047](#)
- [ADP1048](#)

Product Details

The USB to I²C interface is used for communicating between a digital power management device (like the ADP1043A) and the configuration software that runs on a computer. It also supplies 5V and 0.5A to power up the daughter card / evaluation boards.

This same USB to I²C interface connector is used for the ADP1043A, ADP1047, ADP1048, and other digital power management devices.

Buy

Evaluation Boards

Pricing displayed is based on 1-piece.

Model	Description	Price	RoHS
ADP-I2C-USB-Z Production	I2C to USB Connector		Yes

[Back](#)

[Add to cart](#)

UNITED STATES

[Check Inventory](#)

Pricing displayed is based on 1-piece. The USA list pricing shown is for budgetary use only, shown in United States dollars (FOB USA per unit), and is subject to change. International prices may vary due to local duties, taxes, fees and exchange rates.

15,000

Problem Solvers

4,700+

Patents Worldwide

125,000

Customers

50+

Years

Analog Devices is a global leader in the design and manufacturing of analog, mixed signal, and DSP integrated circuits to help solve the toughest engineering challenges.

See the Innovations

Analog Devices. Dedicated to solving the toughest engineering challenges.

SOCIAL



QUICK LINKS

- About ADI
- Analog Dialogue
- Contact us
- News Room
- Sales & Distribution
- Alliances
- Careers
- Investor Relations
- Quality & Reliability

LANGUAGES

- English
- 简体中文
- 日本語
- Русский

NEWSLETTERS

Interested in the latest news and articles about ADI products, design tools, training and events? Choose from one of our 12 newsletters that match your product area of interest, delivered monthly or quarterly to your inbox.

[Sign Up](#)