


Data Sheet of SAW Components




Note : Murata SAW Component is applicable for Cellular /Cordless phone (Terminal) relevant market only. Please also read caution at the end of this document.



SAW DPX FOR UMTS Band8 <u>Murata part number :SAYFH897MHC0F0A</u> [Tx→ANT]

Package Dimensions




Specification

	Item						Specification							
	ltem					-30 to 85°C 25±2°C				typ.				
Nominal Center Frequency (fc)					897.5MHz									
	nsertion Loss 882.4 to 912.6MHz) *						_{NT} max.	2.2	dB _{INT} max.	1.6 dB _{INT}				
Abso	Absolute Attenuation													
1)	10	to	716	MHz	30	dB	min.	30	dB min.	37	dB			
2)	716	to	728	MHz	30	dB	min.	30	dB min.	37	dB			
3)	728	to	821	MHz	30	dB	min.	30	dB min.	37	dB			
4)	927.4	to	957.6	MHz*	44	dB	_{NT} min.	44	dB _{INT} min.	53	dB _{INT}			
5)	1565.4	to	1573.4	MHz	45	dB	min.	45	dB min.	50	dB			
6)	1573.4	to	1577.5	MHz	45	dB	min.	45	dB min.	50	dB			
7)	1577.5	to	1585.4	MHz	45	dB	min.	45	dB min.	50	dB			
8)	1597.5	to	1605.9	MHz	45	dB	min.	45	dB min.	50	dB			
9)	1760	to	1830	MHz	35	dB	min.	35	dB min.	46	dB			
10)	1830	to	1880	MHz	35	dB	min.	35	dB min.	46	dB			
11)	2110	to	2170	MHz	35	dB	min.	35	dB min.	44	dB			
12)	2400	to	2500	MHz	35	dB	min.	35	dB min.	44	dB			
13)	2620	to	2745	MHz	30	dB	min.	30	dB min.	34	dB			
14)	3520	to	3660	MHz	5	dB	min.	5	dB min.	11	dB			
15)	4400	to	4575	MHz	4	dB	min.	4	dB min.	10	dB			
16)	5150	to	5490	MHz	4	dB	min.	4	dB min.	17	dB			
17)	5725	to	5850	MHz	10	dB	min.	10	dB min.	19	dB			
18)	6160	to	6405	MHz	4	dB	min.	4	dB min.	15	dB			
19)	7040	to	7320	MHz	5	dB	min.	5	dB min.	10	dB			
20)	7920	to	8235	MHz	3	dB	min.	3	dB min.	9	dB			
Ripple Deviation (880.48 to 914.52MHz)					3.0	dB	max.	1.8	dB max.	1.1	dB			
		Deviation any 5MHz to 914.52MHz)				dB	max.	1.3	dB max.	0.8	dB			
-	√SWR (880.48 to 914.52MHz)					2.0 max. 2.0 max. 1.6					.6			
ANT F	NT Port Matching Impedance(nominal)					50Ω//7.0nH								
Tx Po	x Port Matching Impedance(nominal)					50Ω								
Rx Po	x Port Matching Impedance(nominal)						100 <u>Ω</u>							
Input	Input Signal Level					0.8W, 55°C,10000 hours								

* Integration calculation (dB_{INT}):
$$dB_{INT} = 10\log\left[\frac{\sum_{n=2}^{N}\left[\frac{(10^{(Loss(f_{n-1})/10)} + 10^{(Loss(f_{n})/10)})}{2} \times (F_{n} - F_{n-1})\right]}{F_{N} - F_{1}}\right]$$



SAW DPX FOR UMTS Band8 <u>Murata part number :SAYFH897MHC0F0A</u> [Tx→ANT]




Frequency Performance



SAW DPX FOR UMTS Band8 Murata part number :SAYFH897MHC0F0A [ANT \rightarrow Rx]

Specification

Package Dimensions




Specification ltem -30 to 85°C 25±2°C typ. Nominal Center Frequency (fc) 942.5MHz Insertion Loss 2.0 dB_{INT} 1) 927.4 to 957.6 MHz * 2.5 dB_{INT}max. 2.4 dB_{INT}max. 2) 925 to 960 MHz 3.3 dB max. 3.0 dB max. 2.3 dB Absolute Attenuation 50 dB min. 50 dB min. 1) 10 to 880 MHz 68 dB 55 dB_{INT} 2) 882.4 to 912.6 MHz * 46 dB_{INT}min. 46 dB_{INT} min. 35 dB min. 35 dB min. 3) 915 MHz 53 dB 880 to 4) 1045 to 1750 MHz 40 dB min. 40 dB min. 61 dB 35 dB min. 35 dB min. 5) 1750 to 3576 MHz 53 dB 4810 MHz 28 dB min. 28 dB min. 6) 3576 to 43 dB 7) 6730 MHz 26 dB min. 26 dB min. 39 dB 6465 to 8650 MHz 10 dB min. 10 dB min. 24 dB 8) 8315 to Ripple Deviation any 5MHz 1.7 dB max. 1.7 dB max. 0.6 dB (925 to 960MHz) Amplitude Balance ±1.0 dB max. ±1.0 dB max. +0.5 (925 to 960MHz) Phase Balance 180±10deg. 180±10deg. 180+5deg. (925 to 960MHz) max max VSWR 2.1 max. 1.8 2.1 max. (925 to 960MHz) ANT Port Matching Impedance(nominal) 50Ω//7.0nH Tx Port Matching Impedance(nominal) 50Ω 1000 Rx Port Matching Impedance(nominal)

* Integration calculation (dB_{INT}): a

$$lB_{INT} = 10\log\left[\frac{\sum_{n=2}^{N} \left[\frac{\left(10^{(Loss(f_{n-1})/10)} + 10^{(Loss(f_{n})/10)}\right)}{2} \times \left(F_{n} - F_{n-1}\right)\right]}{F_{N} - F_{1}}\right]$$




Frequency Performance






SAW DPX FOR UMTS Band8 <u>Murata part number :SAYFH897MHC0F0A</u> [$Tx \rightarrow Rx$]






SAW DPX FOR UMTS Band8 <u>Murata part number :SAYFH897MHC0F0A</u> [$Tx \rightarrow Rx$]











Recommended Land Pattern



Test Circuit





RoHS Compliance

This component is compliant with RoHS directive.

This component was always RoHS compliant from the first date of manufacture.

Caution - Limitation of Applications

This product is intended for the following applications only; however, please do not use this product in these applications where defects might directly cause damage to a third party's life, body or property.

- a. Mobile Telephone
- b. Cordless phone (except for Automotive use)
- c. PC (Including Notebook PC, Netbook PC, Tablet)
- d. Game
- e. Camera (except for Business/security use)
- f. Set Top Box
- g. Electronic dictionary
- h. Digital audio equipment

• This catalog is for reference only and not an official product specification document, therefore, please review and approve our official product specification before ordering this product.

Marking code

Table 1 *: EIAJ Code

This rule of code is applied repeatedly every four year.

2009	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
2013 2017	А	В	С	D	E	F	G	н	J	К	L	М
2010	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
2014 2018	Ν	Ρ	Ø	R	S	Т	U	V	W	Х	Y	Z
2011	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
2015 2019	a	b	0	d	e	f	g	h	j	k	l	m
2012	Jan.	Feb.	Mar.	Apr.	May	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.
2016 2020	n	1ª	q	r	4	t	u	v	ω	R	y	¥

Table 2 \$: Date Code

date	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	
code	А	В	С	D	E	F	G	Н	J	K	
date	11th	12th	13th	14th	15th	16th	17th	18th	19th	20th	
code	L	М	Ν	Р	Q	R	S	Т	U	V	
date	21st	22nd	23rd	24th	25th	26th	27th	28th	29th	30th	31st
code	W	Х	Y	Z	а	b	īc	d	е	f	g



■Important notice

PLEASE READ THIS NOTICE BEFORE USING OUR PRODUCTS.

Please make sure that your product has been evaluated and confirmed from the aspect of the fitness for the specifications of our product when our product is mounted to your product.

All the items and parameters in this product specification/datasheet/catalog have been prescribed on the premise that our product is used for the purpose, under the condition and in the environment specified in this specification. You are requested not to use our product deviating from the condition and the environment specified in this specification. Please note that the only warranty that we provide regarding the products is its conformance to the specifications provided herein. Accordingly, we shall not be responsible for any defects in products or equipment incorporating such products, which are caused under the conditions other than those specified in this specification.

WE HEREBY DISCLAIMS ALL OTHER WARRANTIES REGARDING THE PRODUCTS, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, THAT THEY ARE DEFECT-FREE, OR AGAINST INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS.

The product shall not be used in any application listed below which requires especially high reliability for the prevention of such defect as may directly cause damage to the third party's life, body or property. You acknowledge and agree that, if you use our products in such applications, we will not be responsible for any failure to meet such requirements. Furthermore, YOU AGREE TO INDEMNIFY AND DEFEND US AND OUR AFFILIATES AGAINST ALL CLAIMS, DAMAGES, COSTS, AND EXPENSES THAT MAY BE INCURRED, INCLUDING WITHOUT LIMITATION, ATTORNEY FEES AND COSTS, DUE TO THE USE OF OUR PRODUCTS IN SUCH APPLICATIONS.

- Aircraft equipment.
- Aerospace equipment
- Undersea equipment.
- Power plant control equipment Medical equipment.
- Transportation equipment (vehicles, trains, ships, elevator, etc.).
- Traffic signal equipment.
- Disaster prevention / crime prevention equipment.
- Burning / explosion control equipment
- Application of similar complexity and/ or reliability requirements to the applications listed in the above.

We expressly prohibit you from analyzing, breaking, Reverse-Engineering, remodeling altering, and reproducing our product. Our product cannot be used for the product which is prohibited from being manufactured, used, and sold by the regulations and laws in the world.

We do not warrant or represent that any license, either express or implied, is granted under any our patent right, copyright, mask work right, or our other intellectual property right relating to any combination, machine, or process in which our products or services are used. Information provided by us regarding third-party products or services does not constitute a license from us to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from us under our patents or other intellectual property.

Please do not use our products, our technical information and other data provided by us for the purpose of developing of mass-destruction weapons and the purpose of military use.

Moreover, you must comply with "foreign exchange and foreign trade law", the "U.S. export administration regulations", etc.

Please note that we may discontinue the manufacture of our products, due to reasons such as end of supply of materials and/or components from our suppliers.



Customer acknowledges that Murata will, if requested by you, conduct a failure analysis for defect or alleged defect of Products only at the level required for consumer grade Products, and thus such analysis may not always be available or be in accordance with your request (for example, in cases where the defect was caused by components in Products supplied to Murata from a third party).

The product shall not be used in any other application/model than that of claimed to Murata.

Customer acknowledges that engineering samples may deviate from specifications and may contain defects due to their development status.

We reject any liability or product warranty for engineering samples.

In particular we disclaim liability for damages caused by

• the use of the engineering sample other than for evaluation purposes, particularly the installation or integration in the product to be sold by you,

·deviation or lapse in function of engineering sample,

·improper use of engineering samples.

We disclaims any liability for consequential and incidental damages.

If you can't agree the above contents, you should inquire our sales.