

CLF7045T-470M-CA RoHS Reach Pb Free

Applications	Automotive Grade	
Feature	AEC-Q200 AEC-Q200	
	Wire Wound	
	Shield Magnetic Shield	
	Ferrite Core	
Series   Type	CLF-CA	
Status	↑ Obsolete	
	Recommended Alternate Part No. : <u>CLF7045T-470M-D</u> (Interchangeability is not	
	guaranteed.)	
	Discontinue Issue Date : May.18, 2017	
	Last Purchase Order Date : Mar.29, 2019	
	Last Shipment Date : Sep.30, 2019	
Brand	TDK	



Size		
Length(L)	7.20mm ±0.20mm	
Width(W)	6.90mm ±0.20mm	
Thickness   Height	4.50mm ±0.30mm	
Recommended Land Pattern (A)	1.70mm Nom.	
Recommended Land Pattern (B)	4.40mm Nom.	
Recommended Land Pattern (C)	2.20mm Nom.	

Electrical Characteristics				
Inductance	47μH ±20% at 100kHz			
Rated Current (L Change) [Typ.]	1.3A (10% Down)			
Rated Current (L Change) [Max.]				
Rated Current (Temperature Rise) [Typ.]	1.2A (30°C Rise)			
Rated Current (Temperature Rise) [Max.]				
DC Resistance [Typ.]	150mΩ			
DC Resistance [Max.]	180mΩ			
Self Resonant Frequency [Min.]				
Self Resonant Frequency [Typ.]				
Q [Min.]				
Q [Typ.]				

Other				
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105°C			
Coldoring Mathod	Reflow			
Soldering Method	Iron Soldering			
AEC-Q200	YES			

<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

 $<sup>! \ \</sup>mbox{All specifications}$  are subject to change without notice.



CLF7045T-470M-CA

2 of 5 Creation Date : October 06, 2022 (GMT)


RoHS Reach Pb Free


Packing	Punched (Paper)Taping [330mm Reel]
Package Quantity	1000pcs
Weight	0.8g


<sup>!</sup> Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website. ! All specifications are subject to change without notice.


RoHS Reach Pb Free


## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Pb Free

## Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)




<sup>!</sup> Images are for reference only and show exemplary products.


<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

RoHS Reach Pb Free

## **Associated Images**





<sup>!</sup> Images are for reference only and show exemplary products.

<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

 $<sup>! \ \</sup>mbox{All specifications}$  are subject to change without notice.