RoHS Reach Pb Free

| Applications | Automotive Grade | |
|---------------|------------------------------------------------------------------------------------------|--|
| Feature | AEC-Q200 AEC-Q200 Wire Wound Wire Wound Shield Magnetic Shield Ferrite Core Ferrite Core | |
| Series Type | RLF-D | |
| Status | Production (Not Recommended for New Design) Recommended Alternate Part No. : Contact | |
| Brand | TDK | |




| | Size | |
|------------------------------|----------------|--|
| Length(L) | 7.30mm ±0.30mm | |
| Width(W) | 6.80mm ±0.20mm | |
| Thickness Height | 4.60mm ±0.20mm | |
| Recommended Land Pattern (A) | 2.00mm Nom. | |
| Recommended Land Pattern (B) | 3.90mm Nom. | |
| Recommended Land Pattern (C) | 2.20mm Nom. | |


| Electrical Characteristics | | | |
|-----------------------------------------|----------------------|--|--|
| Inductance | 120μH ±20% at 100kHz | | |
| Rated Current (L Change) [Typ.] | | | |
| Rated Current (L Change) [Max.] | 800mA (30% Down) | | |
| Rated Current (Temperature Rise) [Typ.] | 550mA (20°C Rise) | | |
| Rated Current (Temperature Rise) [Max.] | | | |
| DC Resistance [Typ.] | 400mΩ | | |
| DC Resistance [Max.] | 480mΩ | | |
| Self Resonant Frequency [Min.] | | | |
| Self Resonant Frequency [Typ.] | | | |
| Q [Min.] | | | |
| Q [Typ.] | | | |


| Other | | | |
|---------------------------------------------------------------------|---------------------------------------|--|--|
| Operating Temp. Range (Including Self-Temp. Rise) | -40 to 150°C | | |
| Coldaring Method | Reflow | | |
| Soldering Method | Iron Soldering | | |
| AEC-Q200 | YES | | |
| Packing | Embossed (Plastic)Taping [330mm Reel] | | |
| Package Quantity | 1000pcs | | |
| Weight ! Images are for reference only and show exemplary products. | 0.8g | | |


- ! Images are for reference only and show exemplary products.
 ! This PDF document was created based on the data listed on the TDK Corporation website.
- $! \ \mbox{All specifications}$ are subject to change without notice.


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)















[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.

RoHS Reach Pb Free

Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



[!] Images are for reference only and show exemplary products.

[!] This PDF document was created based on the data listed on the TDK Corporation website.

[!] All specifications are subject to change without notice.